

## INDEX TO VOLUME 81

The Index for Volume 81 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

### SUBJECT INDEX

- Abbas H. K. see Windels et al. 272  
 Adams G. C. see Snyder et al. 241  
 Agerer, R. and M. Weiss. Studies on ectomycorrhizae. XX. Mycorrhizae formed by *Thelephora terrestris* on Norway spruce. 444-453  
 Aging  
   *Didymium iridis* 636-638  
 Agrios, G. N. Plant pathology.; review 168-169  
 Al-Doory, Y. and S. Ramsey. Moulds and health. Who is at risk?; review 174-175  
 Alberts, V. A., S. S. Khan, D. V. Lim and D. Te Strake. Extracellular enzyme activity of some *Saprolegniales* from a Florida estuary. 460-463  
 Allozymes  
   *Agaricus bisporus* 433-442  
   *Trichoderma* 391-402  
 Ammirati, J. F. [Review of] *Fungorum rariorum icones coloratae*, pars XV, Cortinarius and (*Dermocybe*). 944  
 Anaerobic growth  
   *Blastocladiella* 811-814  
   *Zygomycetes* 939-940  
 Andary C. see Enjalbert et al. 266  
 Antagonism  
   *Trichoderma* 375-380  
 Antibus, R. K. Formation and structure of sclerotia and sclerotium-specific proteins in *Hygrophoropsis aurantiaca*. 905-913  
 Antibus R. K. see Szklarczyk et al. 234  
 Antigenic studies  
   *Basidiobolus* 284-287  
 Apomixis  
   *Didymium iridis* 149-150  
 Asymbiotic nitrogen fixation 765-770  
 Awuah, R. T. and J. W. Lorbeer. Role of light, temperature, and method of propagation in cultural variability of *Fusarium oxysporum* f. sp. *apii* race 2. 278-283  
 Baath E. see Dackman and Baath 161  
 Badham, E. R. Influence of water potential on growth of shiitake mycelium. 464-468  
 Bahnweg G. see Crisp et al. 709  
 Bandoni, R. J. and L. Marvanova. On a new species of *Ingoldiella*. 42-46  
 Barnett H. L. see Gallegly and Barnett 190  
 Barr, M. E., H. D. Ohr and M. K. Murphy. The genus *Serenomyces* on palms. 47-51  
 Basidial ontogeny  
   *Clavicornia pyxidata* 20-39  
   *Eocronartium muscicola* 98-112  
 Basidiospore formation  
   *Ganoderma lucidum* 754-764  
 Bauer R. see Nagler et al. 884  
 Bayman, P. and O. R. Collins. Homothallism in *Co-*  
   *prinus patouillardii*: distribution and variation. 728-734  
 Behnke, H.-D. Advances in botany.; review 174  
 Bennett, A. R. and D. F. Hindal. Mycelial growth and oxalate production by five strains of *Cryphonectria parasitica* in selected liquid culture media. 554-560  
 Berbee, M. L. and K. Wells. Light and electron microscopic studies of meiosis and basidium ontogeny in *Clavicornia pyxidata*. 20-41  
 Berbee M. see Nagler et al. 884  
 Berch, S. M., R. Ferrera-Cerrato and C. G. Chavez. Vesicular-arbuscular mycorrhizal fungi from corn fields in Atlacomulco, Mexico. 933-935  
 Berube, J. A. and M. Dessureault. Morphological studies of the *Armillaria mellea* complex: two new species, *A. gemina* and *A. calvescens*. 216-225  
 Bills, G. F. Southern Appalachian *Russulas*. IV. 57-65  
 Biocidal agent  
   methionine and riboflavin 404-411  
 Biodeterioration  
   *Postia placenta* 205-213  
 Biogeography  
   cellular slime molds in Japan 683-691  
 Biological control  
   *Trichoderma* 134-137, 0375  
   fungi associated with *Heterodera glycines* 66-74  
   nematodes by fungi 797-799  
 Biological species  
   *Armillaria mellea* complex 216-223  
 Bioluminescence  
   early accounts of 296-299  
 Biosystematics  
   *Lagenidium callinectes* 709-716  
 Bipolar heterothallism  
   *Fomitopsis rosea* complex 85-96  
 Blackwell, M. and D. Malloch. Similarity of *Amphoromorpha* and secondary capilliconidia of *Basidiobolus*. 735-741  
 Bland C. E. see Burk and Bland 181  
 ———. see Crisp et al. 709  
 Bleomycin  
   effect on growth in *Aspergillus* 159-160  
 Boddy, L., R. Watling and A. J. E. Lyon Eds. Fungi and ecological disturbance; review 826-827  
 Boehm, E. W. A. and D. J. McLaughlin. Phylogeny and ultrastructure in *Eocronartium muscicola*: meiosis and basidial development. 98-114  
 Bon, M. Pareys Buch der Pilze; review 826  
 ———. *Fungorum rariorum icones coloratae*, pars XV, Cortinarius and (*Dermocybe*); review 944  
 Brasier C. M. see Rayner et al. 495,  
 Breeding  
   *Agaricus bisporus* 433-442  
 Brodie H. J.

- obituary 832-836  
 Brown J. K. see Cochrane et al. 504  
 Brown rot  
   *Postia placenta* 205-213  
 Brunner, I. L. Two new species of *Russula* (stirps *Atropurpurea*) associated with *Alnus crispa* in Alaska. 667-676  
 Buchanan P.K. A reappraisal of *Ascochyta* and *Ascochyta*; review 331  
 Burgess, L. W., P. E. Nelson and B. A. Summerell. Variability and stability of morphological characters of *Fusarium oxysporum* isolated from soils in Australia. 818-822  
 Burgess, L. W., P. E. Nelson and T. A. Toussoun. Stability of morphological characters of *Fusarium nygamai*. 480-482  
 Burk, W. R. and C. E. Bland. John Nathaniel Couch, 1896-1986. 181-189  
 Carranza-Morse, J. and R. L. Gilbertson. Cultural studies on the *Fomitopsis rosea* complex. 85-97  
 Carris, L. M. A new species of *Dwayalomella* from *Vaccinium corymbosum*. 638-642  
 Carris, L. M., D. A. Glawe, C. A. Smyth and D. I. Edwards. Fungi associated with populations of *Heterodera glycines* in two Illinois soybean fields. 66-75  
 Cassanas G. see Enjalbert et al. 266  
 Cavender, J. C. and K. Kawabe. Cellular slime molds of Japan. I. Distribution and biogeographical considerations. 683-691  
 Celio, D. A. and D. E. Padgett. An improved method of quantifying water mold spores in natural water columns. 459-460  
 Character stability  
   *Fusarium oxysporum* 818-821  
 Chavez C. G. see Berch et al. 933  
 Chemotaxonomy  
   *Penicillium* 837-859  
 Chen J. L. see Tzean and Chen 626  
 Chiang, M.-Y., K. J. Leonard and C. G. Van Dyke. Bipolaris halepense: a new species from Sorghum halepense (Johnsongrass). 532-538  
 Cho, C. W. and M. S. Fuller. Ultrastructural studies of encystment and germination in *Phytophthora palmivora*. 539-548  
 Cho K. Y. see Song et al. 514  
 Christensen, M. A view of fungal ecology. 1-19  
 ———. [Review of] Introduction to food-borne fungi, 3rd edition. 942  
 Cladistics  
   *Trichoderma* 391-402  
 Clark, C. A. and J. W. Moyer Eds. Compendium of sweet potato diseases; review 175  
 Clark, J. Genomic size instability in polyploid *Didymium iridis* plasmodia. 656-657  
 Clark, J. and T. Lott. Age heterokaryon studies in *Didymium iridis*. 636-638  
 Clark J. see Ginns and Clark 921  
 Clay, K. and A. Leuchtmann. Infection of woodland grasses by fungal endophytes. 805-811  
 Clay K. see Leuchtmann and Clay 692  
 Cobb F. W. see Harrington and Cobb 330  
 Cochrane, B. J., J. K. Brown, R. P. Wain, B. G. Yangco and D. Te Starke. Genetic studies in the genus *Basidiobolus*. I. Isozyme variation among isolates of human and natural populations. 504-513  
 Collins, O. R. and Tang H.-C. Reproductive behavior of a new isolate of *Didymium iridis* (Myxomycetes). 149-150  
 Collins O. R. see Bayman and Collins 728  
 Compatibility  
   bifactorial in *Exidiopsis plumbescens* 567-586  
 Conidia  
   *Trichoderma* 312-316  
 Conidial development  
   Amphoromorpha and *Basidiobolus* 735-740  
   *Colletotrichum graminicola* 876-883  
   *Scedosporium* and *Scopulariopsis* 896-904  
   *Schroeteria* 884-895  
   in ectomycorrhizae 587-594  
 Conway, K. E. [Review of] Plant pathology. 168-169  
 Coprophilous fungi  
   *Sordariaceae* from East Africa 862-868  
 Cotter D. A. see Glaves and Cotter 115  
 Couch J. N.  
   obituary 181-189  
 Crane, J. L. [Review of] Mycological contributions celebrating the 70th birthday of Dr. Clark T. Rogers. 943  
 Crisp, L. M. Jr., C. E. Bland and G. Bahnweg. Biosystematics and distribution of *Lagenidium callinectes*, a fungal pathogen of marine crustacea. 709-716  
 Cultivation  
   *Agaricus bisporus* 433-442  
 Cultural characteristics  
   *Atkinsonella* 692-701  
   *Crustoderma* 921-926  
   *Fomitopsis rosea* complex 85-96  
 Cultural variability  
   *Fusarium oxysporum* f. sp. *apii* 278-282  
 Cyst nematode  
   *Verticillium chlamydosporium* and *V. suchlaspor* 161-163  
 DNA relatedness  
   *Fusarium* sect. *Liseola* 307-311  
 Daehwan, C. and E. Baath. Effect of temperature and time on growth of *Verticillium chlamydosporium* and *V. suchlasporium* and infection of *Heterodera avenae* eggs. 161-163  
 Daniels Hetrick, B. A. and G. W. T. Wilson. Suppression of mycorrhizal fungus spore germination in non-sterile soil: relationship to mycorrhizal growth response in big bluestem. 382-390  
 Danielson, R. M. and M. Pruden. The Ectomycorrhizal status of urban spruce. 335-341  
 Daub M. E. see Gwinn and Daub 322  
 DeVay J. E. see Tzeng and DeVay 404  
 Desjardins, D. E. and R. H. Petersen. Studies on Marasmius from eastern North America. III. *Marasmius brevipes* and *Micromphale* sect. *Rhizomorpha*. 76-84  
 Dessureault M. see Berube and Dessureault 216  
 Development  
   *Agaricus bisporus* 717-726  
   *Echinostelium arboreum* 303-306  
   *Meliola floridensis* 192  
   *Ustilago cynodontis* 595-607

- Digby, S. and K. Wells. Compatibility and development in *Ustilago cynodontis*. 595-607
- Dispersal  
  *Basidiobolus* 735-740
- Distribution  
  Agarics of Henderson Islands 793-796  
  Endogonaceae in Mexico 933-935  
  *Fusarium oxysporum* in Australia 818-821  
  *Lagenidium callinectes* 709-716  
  *Russula* in southern Appalachian Mountains 57-64  
  Sordariaceae from East Africa 862-868  
  cellular slime molds in Japan 683-691  
  myxomycetes in temperate forests 608-621  
  neotropical *Collybia* 870-875
- Dodd, J. [Review of] Maize diseases: a reference source for seed technologists. 493-494
- Donoghue J. see Przybylowicz and Donoghue 828,
- Dowd, P. F., J. D. Miller and R. Greenhalgh. Toxicity and interactions of some *Fusarium* graminearum metabolites to caterpillars. 646-650
- Dowd P. F. see Wicklow and Dowd 561
- Dried mycelium  
  growth from in *Culicinomyces* and *Tolypocladium* 472-474
- Duran, R. [Review of] Illustrated genera of smut fungi. 168
- . *Ustilaginales* of Mexico. Taxonomy, symptomatology, spore germination, and basidial cytology.; review 172-173
- Dute, R. R., J. D. Weete and A. E. Rushing. Ultrastructure of dormant and germinating conidia of *Aspergillus ochraceus*. 772-782
- Dykstra, M. J., I. F. Salkin and M. R. McGinnis. An ultrastructural comparison of conidiogenesis in *Scedosporium apiospermum*, *Scedosporium inflatum* and *Scopulariopsis brumptii*. 896-904
- East Africa  
  *Gelasinospora* 226-232
- Ecology  
  *Russula* associated with *Alnus* 667-676  
  cellular slime molds 677-682  
  endophytes in woodland grasses 805-810  
  myxomycetes in temperate forests 608-621  
  wood decay fungi 765-770
- Ectomycorrhizae  
  *Thelephora terrestris* 444-452  
  conidia in 587-594  
  spruce 335-340
- Edwards D. I. see Carris et al. 66
- Electrophoresis  
  *Trichoderma* 391-402
- Electrophoretic types  
  *Leptographium wagenieri* 122-132
- Ellet, C. W. *Curvularia* blight of *Ophioglossum vulgatum*. 815-817
- Ellis, J. J. An alignment of toxigenic *Gibberella* strains having anamorphs in section *Liseola* of *Fusarium*. 307-311
- Ellis J. P. see Ellis and Ellis 171
- Ellis, M. B. and J. P. Ellis. Microfungi on miscellaneous substrates.; review 171-172
- Embree R. W. see Kitz and Embree 164
- Endophytes  
  woodland grasses 805-810
- Enjalbert, F., G. Cassanas and C. Andary. Variation in amounts of main phallotoxins in *Amanita phalloides*. 266-271
- Entomotoxins  
  *Aspergillus flavus* 561-566
- Enzymes  
  Saprolegniales 460-463
- Eriksson, O. and D. L. Hawksworth Eds. *Systema Ascomycetum*.; review 174
- Ethnomycology  
  bioluminescence 296-299
- Ferrera-Cerrato R. see Berch et al. 933
- Filtenborg E. see Frisvad and Filtenborg 837
- Fleming R. A. see Perry and Fleming 154
- Fogel, R. [Review of] *Gasteromycetes*. Morphological and developmental features with keys to the orders, families, and genera. 942
- Fossil fungi 643-646  
  *Palaeofibulus* 622-626
- Frisvad, J. C. and E. Filtenborg. Terverticillate penicillia: chemotaxonomy and mycotoxin production. 837-861
- Fulbright D. W. see Snyder et al. 241
- Fuller M. S. see Cho and Fuller 539
- Fungal ecology 1-19
- Fungal storage  
  *Culicinomyces* and *Tolypocladium* 472-474
- Fungitoxic activity  
  food storage fungi 151-153
- Gabel, A. W. Host-parasite relations of *Phyllachora* species on native grasses. 702-708
- Galleghy, M. E. and H. L. Barnett. *Virgil Greene Lilly*, 1900-1988. 190-191
- Gemma J. N. see Koske and Gemma 935
- Gene diversity  
  *Leptographium wagenieri* 122-132
- Genetic complementation  
  *Morchella esculenta* 523-531
- Genetic variation  
  *Basidiobolus* 504-513
- Germ plasm  
  *Agaricus bisporus* 433-442
- Gibson J. L. see Kimbrough and Gibson 914
- Gilbertson, R. L. and L. Ryvarden. North American polypores.; review 169-170
- Gilbertson R. L. see Carranza-Morse and Gilbertson 85
- GINNS, J. [Review of] North American polypores. 169-170
- GINNS, J. and J. Clark. *Crustoderma longicystidia* associated with decay of lumber in British Columbia, and the cultural features of *C. dryina*. 921-926
- Glaves, M. L. and D. A. Cotter. Environmental parameters limiting spore germination in a spontaneously germinating mutant of *Dictyostelium discoideum*. 115-121
- Glawe, D. A. [Review of] *Ustilaginales* of Mexico. Taxonomy, symptomatology, spore germination, and basidial cytology. 172-173
- . [Review of] Compendium of sweet potato diseases. 175
- . [Review of] Soybean diseases of the North Central region. 175

- . [Review of] Biological and cultural tests for control of plant diseases, Vol. 3. 176
- . [Review of] Compendium of grape diseases. 176
- . [Review of] A reappraisal of *Ascochyta* and *Ascochyta*. 331
- . [Review of] *Ascochyta* II. species on monocotyledons (excluding grasses), cryptogams and gymnosperms. 494
- Glawe, D. A. and W. U. Solberg. Early accounts of fungal bioluminescence. 296-299
- Glawe D. A. see Carris et al. 66
- . see Stiles and Glawe 797
- Gleason, F. H. and G. L. R. Gordon. Anaerobic growth and fermentation in *Blastocladiella*. 811-815
- . Further studies on anaerobic growth of *Zygomycetes*. 939-940
- Goettel, M. S., A. W. Sweeney and D. W. Roberts. Effects of drying and rehydration on mycelia of the mosquito pathogenic fungi *Culicinomyces clavosporus* and *Tolypocladium cylindrosporum*. 472-475
- Goheen A. see Pearson and Goheen 176,
- Goldfarb, B., E. E. Nelson and E. M. Hansen. *Trichoderma* species from Douglas-fir stumps and roots infested with *Phellinus weirii* in the western Cascade Mountains of Oregon. 134-138
- . *Trichoderma* spp.: growth rates and antagonism to *Phellinus weirii* in vitro. 375-381
- Goos, R. D. On the anamorph genera *Helicosporium* and *Drepanospora*. 356-374
- Goos R. D. see Krishna et al. 790
- Gordon G. L. R. see Gleason and Gordon 811
- Greenhalgh R. see Dowd et al. 646
- Gregory N. M. see Watling and Gregory 170,
- Gulden, G. and K. M. J. Janssen. Arctic and alpine fungi-2; review 827
- Gwinn, K. D. and M. E. Daub. Techniques for isolation of mutants using protoplasts from *Cercospora nicotianae*. 322-324
- Halling, R. [Review of] Arctic and alpine fungi-2. 827
- Halling, R. E. [Review of] Fungi and ecological disturbance. 826-827
- . Notes on *Collybia* III. Three neotropical species of subg. *Rhodocollybia*. 870-875
- Halling R. E. see Wolfe and Halling 342
- Halvorson W. L. see Koske and Halvorson 927
- Hanau R. M. see Panaccione et al. 876
- Hanlin, R. T. [Review of] Fungicolous, lichenicolous and myxomyceticolous species of *Hypocrepopsis*, *Nectriopsis*, *Nectria*, *Peristomialia*, and *Trichonectria*. 665-666
- Hansen E. M. see Goldfarb et al. 375
- Harman G. E. see Stasz et al. 391
- Harrington, T. C. and F. W. Cobb. *Leptographium* root diseases on conifers; review 330-331
- Harrington T. C. see Zambino and Harrington 122
- Hartman, J. R. Ed. Biological and cultural tests for control of plant diseases, Vol. 3.; review 176
- Harvey, A. E., M. J. Larsen, M. F. Jurgensen and E. A. Jones. Nitrogenase activity associated with decayed wood of living northern Idaho conifers. 765-771
- Haskins, E. F. and M. D. McGuinness. Sporophore ultrastructure of *Echinostelium arboreum*. 303-307
- Hawksworth D. see Eriksson and Hawksworth 174,
- Hawksworth D. L. see Pirozynski and Hawksworth 490
- Heckman, C. A., S. D. Pelok, S. A. Kimpel and Wu L.-C. Scanning electron microscope studies on fruitbody primordium formation in *Agaricus bisporus*. 717-727
- Heterokaryons
- Didymium iridis* 636-638
- Heterokaryosis
- Morchella esculenta* 523-531
- Heterothallism
- Atkinsonella* 692-701
- Didymium iridis* 149-150
- Highley T. L. see Micales and Highley 205
- Hindal D. F. see Bennett and Hindal 554
- History of mycology
- bioluminescence 296-299
- Holdfast
- Smittium* 742-752
- Homothallism
- Coprinus patouillardii* 728-733
- Hoog, G. S. de, M. T. Smith and A. C. M. Weijman. The expanding realm of yeast-like fungi; review 329-330
- Hopkins Riley L. see TeBeest et al. 147
- Horn, B. W. Ultrastructural changes in trichospores of *Smittium culisetiae* and *S. culicis* during in vitro sporangiospore extrusion and holdfast formation. 742-753
- Host-parasit relations
- Phyllachora* on native grasses 702-708
- Huss, M. J. Dispersal of cellular slime molds by two soil invertebrates. 677-682
- Hutchison, L. J. Absence of conidia as a morphological character in ectomycorrhizal fungi. 587-594
- Hypovirulence
- Cryphonectria parasitica* 554-560
- Leucostoma persoonii* 241-247
- Intersterility
- Ustilago cynodontis* 595-607
- Isozymes
- Basidiobolus* 504-513
- Coprinus patouillardii* 728-733
- Leptographium wagneri* 122-132
- Janssen K. M. see Gulden and Janssen 827,
- Jones E. A. see Harvey et al. 765
- Jurgensen M. F. see Harvey et al. 765
- Kawabe K. see Cavender and Kawabe 683
- Keller, H. W. and J. D. Schoknecht. Life cycle of a new annulate-spored species of *Didymium*. 248-265
- . *Fuligo megaspora*, a myxomycete with unique spore ornamentation. 454-458
- . Spore-to-spore culture of *Physarum spinisporum* and its transfer to *Badhamia*. 631-636
- . Spore-to-spore cultivation of a new wrinkled-reticulate-spored *Badhamia*. 783-789
- Kerrigan, R. W. and I. K. Ross. Allozymes of a wild *Agaricus bisporus* population: new alleles, new genotypes. 433-443
- Key
- Armillaria mellea* complex 223-234

- Fomitopsis rosea* complex 87  
*Helicospirium* 359  
 Hyphomyces with slimy conidial chains 354-355  
*Hypomyces* 414-415  
*Lulworthia* 291-292  
*Penicillifer* 353  
*Sepedonium* 415  
*Serenomyces* 50  
*Triadelphia* 630-631  
 separating *Helicospirium* from related genera 356-357  
 Khan, R. S. and J. C. Krug. New species of *Gelatinospora*. 226-233  
 ——. A new species of *Selinia*. 653-655  
 ——. New records of the *Sordariaceae* from East Africa. 862-869  
 Khan S. S. see Alberts et al. 460  
 Killer phenotype  
*Kluyveromyces* 317-320  
 Killer toxin  
*Kluyveromyces* 317-320  
 Kimbrough, J. W. [Review of] The *Trichomyces*: Fungal associates of Arthropods. 941  
 Kimbrough, J. W. and J. L. Gibson. Ultrastructural observations on *Helvellaceae* (Pezizales; Ascomycetes). III. Septal structures in *Helvella*. 914-920  
 Kimpel S. A. see Heckman et al. 717  
 Kitz, D. J. and R. W. Embree. A new species of *Helicocephalum* from Iowa. 164-166  
 Klich, M. A. and E. J. Mullaney. Use of a bleomycin-containing medium to distinguish *Aspergillus parasiticus* from *A. sojae*. 159-160  
 Kohlmeyer, J. and B. Volkmann-Kohlmeyer. A new *Lulworthia* (Ascomycotina) from corals. 289-292  
 Kohn, L. M. [Review of] Pleomorphic fungi: the diversity and its taxonomic implications. 328-329  
 Koji 561-566  
 Korf, R. P. [Review of] Helotiales of Australasia: Geoglossaceae, Orbiliaceae, Sclerotiniaceae, Hyaloscyphaceae. 173-174  
 Koske, R. E. and J. N. Gemma. *Glomus nanolumen* (Endogonaceae), a new species from Hawaii. 935-938  
 Koske, R. R. and W. L. Halvorson. *Scutellospora arenicola* and *Glomus trimurales*: two new species in the Endogonaceae. 927-933  
 Krishna Rao, N., C. Manoharachary and R. D. Goos. Forest litter hyphomyces from Andhra Pradesh, India. IV. A new genus of synnematus hyphomyces. 790-793  
 Krug, J. C. *Periamphisporea*, a new genus of the *Sordariaceae*. 475-479  
 Krug J. C. see Khan and Krug 226  
 Kulik, M. M. Variation in pathogenicity among isolates of *Diaporthe phaseolorum* f. sp. *caulivora*. 549-553  
 Kuter G. A. see Stasz et al. 391  
 La France disease 822-825  
 Laccase  
 wood-rotting fungi 234-239  
 Larsen M. J. see Harvey et al. 765  
 Leonard K. J. see Chiang et al. 532  
 Leonard T. J. see Volk and Leonard 523  
 Leuchtmann, A. and K. Clay. Morphological, cultural and mating studies on *Atkinsonella*, including *A. texensis*. 692-701  
 Leuchtmann A. see Clay and Leuchtmann 805  
 Lichtwardt, R. W. The *Trichomyces*: Fungal associates of Arthropods; review 941  
 Life cycle  
*Badhamia rhytidosporea* 783-788  
*Didymium annulisporeum* 248-265  
*Physarum spinisporeum* 631-636  
 Lilly V. G.  
 obituary 190-191  
 Lim D. V. see Alberts et al. 460  
 Linkins A. E. see Szklarczyk et al. 234  
 Lipid synthesis  
*Lentinus edodes* 514-522  
 Litten W. see Petersen and Litten 325  
 Liu, B. and K. Tao. A new species of *Phlebogaster* from China. 167  
 Longcore, J. E. *Bojamyces repens*: a new genus and species of Harpellales (*Trichomyces*) from a lentic mayfly. 482-486  
 Lorbeer J. W. see Awwah and Lorbeer 278  
 Lott T. see Clark and Lott 636  
 Luttrell, E. S. Morphology of *Meliola floridensis*. 192-204  
 Luttrell E. S. see Roberson and Luttrell 650  
 Lyon A. J. see Boddy et al. 826  
 Malloch D. see Blackwell and Malloch 735  
 Manoharachary C. see Krishna et al. 790  
 Margosan, D. A. and D. J. Phillips. Effect of temperature and high sugar concentrations on spore size of *Monilinia fructicola*. 293-295  
 Martini, A. V. and G. Rosini. Killer relationships within the yeast genus *Kluyveromyces*. 317-321  
 Marvanova L. see Bandoni and Marvanova 42  
 Mating compatibility  
*Atkinsonella* 692-701  
*Ustilago cyndodontis* 595-607  
 McGee, D. C. Maize diseases: a reference source for seed technologists.; review 493-494  
 McGinnis, C. [Review of] Moulds and health. Who is at risk? 174-175  
 McGinnis M. R. see Dykstra et al. 896  
 McGuinness M. D. see Haskins and McGuinness 303  
 McLaughlin D. J. see Boehm and McLaughlin 98  
 Meiosis  
*Clavicornia pyxidata* 20-39  
 Methionine  
 biocidal agent 404-411  
 Meyer, R. J. and J. S. Plaskowitz. Scanning electron microscopy of conidia and conidial matrix of *Trichoderma*. 312-317  
 Micales, J. A. and T. L. Highley. Physiological characteristics of a non-degradative isolate of *Postia* (*Poria*) *placenta*. 205-215  
 Miller H. H. see Miller and Miller 942  
 Miller J. D. see Dowd et al. 646  
 Miller, O. K. Jr. and H. H. Miller. *Gasteromyces*. Morphological and developmental features with keys to the orders, families, and genera; review 942  
 Mims, C. W. and F. Seabury. Ultrastructure of tube



- formation and basidiospore development in *Ganoderma lucidum*. 754-764
- Mirocha C. J. see Windels et al. 272
- Molecular taxonomy
- Trichoderma 391-402
- Moore D. see Rayner et al. 495
- Motta, J. J. [Review of] Evolutionary biology of the fungi. 495
- Moyer J. see Clark and Moyer 175
- Mullaney E. J. see Klich and Mullaney 159
- Murphy M. K. see Barr et al. 47
- Mycotoxins
- Penicillium 837-859
- Mycovirus
- Agaricus bisporus 822-825
- Nagler, A., R. Bauer, M. Berbee, K. Vanky and F. Oberwinkler. Light and electron microscopic studies of *Schroeteria delastrina* and *S. poeltii*. 884-895
- Nair N. G. see Song et al. 514
- Nelson E. E. see Goldfarb et al. 375
- Nelson P. E. see Burgess et al. 480
- Nematode pathology
- fungi associated with *Heterodera glycines* 66-74
- Nixon K. see Stasz et al. 391
- Noordeloos, M. E. Entoloma in North America. The species described by L. R. Hesler, A. H. Smith, and S. J. Mazzer: Type-studies and comments; review 666
- Nuclear division
- Eocronartium muscicola* 98-112
- Nuclear number
- Colletotrichum 147-148
- Oberwinkler F. see Nagler et al. 884
- Obituaries
- Brodie H. J. 832-836
- Couch J. N. 181-189
- Lilly V. G. 190-191
- Olive L. S. 497-503
- Rosinski M. A. 829-831
- Ohr H. D. see Barr et al. 47
- Olive L. S.
- obituary 497-503
- Osborn, J. M. and T. N. Taylor. *Palaeofibulus* gen. nov., a clamp-bearing fungus from the triassic of Antarctica. 622-626
- Oxalate
- production in *Cryphonectria parasitica* 554-560
- Padgett D. E. see Celio and Padgett 459
- Panaccione, D. G., L. J. Vaillancourt and R. M. Hanau. Conidial dimorphism in *Colletotrichum graminicola*. 876-883
- Park J. Y. see Te et al. 284
- Pathogenicity
- Diaporthe phaseolorum* 549-553
- Pearson, R. C. and A. C. Goheen Eds. Compendium of grape diseases; review 176
- Peck, C. H. Annual reports of the state botanist. 1868-1912; review 496
- Pelok S. D. see Heckman et al. 717
- Perithecium production
- Gibberella zeae* 272-276
- Peroxidases
- wood-rotting fungi 234-239
- Perry, D. F. and R. A. Fleming. *Erynia crustosa* zygospore germination. 154-158
- Petersen, R. H. [Review of] Microfungi on miscellaneous substrates. 171-172
- . [Review of] *Systema Ascomycetum*. 174
- . [Review of] *Advances in botany*. 174
- . [Review of] Annual reports of the state botanist. 1868-1912. 496
- . Lindsay Shepherd Olive, 1917-1988. 497-503
- Petersen, R. H. and W. Litten. A new species of *Clavaria* fruiting with *Vaccinium*. 325-327
- Petersen R. H. see Desjardin and Petersen 76
- . see Toledo and Petersen 662
- . see Zang and Petersen 486
- Phallotoxin
- amounts in *Amanita phalloides* 266-271
- Phenol oxidases
- wood-rotting fungi 234-239
- Phillips D. J. see Margosan and Phillips 293
- Phosphorus
- vesicular-arbuscular mycorrhizae 382-389
- Photodynamic effect
- methionine and riboflavin 404-411
- Pirozynski, K. A. and D. L. Hawksworth. Coevolution of fungi with plants and animals; review 490-493
- Pitt J. I. see Vincent and Pitt 300
- Plaskowitz J. S. see Meyer and Plaskowitz 312
- Plasmoidal development
- Didymium annulispurum* 248-265
- Polygenic loci
- Exidiopsis plumbescens* 567-586
- Polyploidy
- Didymium iridis* 656-657
- Population genetics
- Leptographium wagneri* 122-132
- Populations
- Basidiobolus* 504-513
- Pore plugs
- Helvella* 914-920
- Portrait
- Brodie H. J. 833
- Christensen M. I.
- Couch J. N. 180
- Lilly V. G. 191
- Olive L. S. 498
- Rosinski M. A. 830
- Primordium formation
- Agaricus bisporus* 717-726
- Protozoa
- Cercospora nicotianae* 322-324
- Pruden M. see Danielson and Pruden 335
- Przybyłowicz, P. and J. Donoghue. Shiitake growers handbook; review 828
- Punithalingam, E. *Ascochyta* II. species on monocotyledons (excluding grasses), cryptogams and gymnosperms; review 494
- Ramsey S. see Al-Doory and Ramsey 174
- Rayner, A. D. M., C. M. Brasier and D. Moore. Evolutionary biology of the fungi; review 495
- Redhead, S. A. [Review of] British fungus flora, agarics and boleti. 5. Strophariaceae and Coprinaceae p.p. *Hypholoma*, *Melanotus*, *Psilocybe*, *Stropharia*, *Lacrymaria* and *Panaeolus*. 170
- . [Review of] *Entoloma* in North America. The

- species described by L. R. Hesler, A. H. Smith, and S. J. Mazzer: Type-studies and comments. 666
- Riboflavin  
biocidal agent 404-411
- Roberson, R. W. and E. S. Luttrell. Dolipore septa in *Tilletia*. 650-652
- Roberts D. W. see Goettel et al. 472
- Robinson, A. D. Martin A. Rosinski, 1927-1988. 829-831
- Rodrigues K. F. see Samuels and Rodrigues 52
- Rogers, J. D. [Review of] The expanding realm of yeast-like fungi. 329-330
- Rogerson, C. T. [Review of] The genus *Tulotoma* (Gasteromycetes) -- a world monograph. 331-332
- Rogerson, C. T. and G. J. Samuels. Boleticolous species of *Hypomyces*. 413-432
- Romaine, C. P. and B. Schlagnhauser. Prevalence of double-stranded RNAs in healthy and La France disease-affected basidiocarps of *Agaricus bisporus*. 822-825
- Root colonization  
vescicular-arbuscular mycorrhizae 382-389
- Rosini G. see Martini and Rosini 317
- Rosinski M. A.  
obituary 829-831
- Ross I. K. see Kerrigan and Ross 433
- Royse, D. J. [Review of] Shiitake growers handbook. 828
- Rushing A. E. see Dute et al. 772
- Ryvarden L. see Gilbertson and Ryvarden 169
- Salkin I. F. see Dykstra et al. 896
- Samson, R. A. and E. S. van Reenen-Hoekstra. Introduction to food-borne fungi, 3rd edition.; review 942
- Samuels, G. J. [Review of] Graminicolous species of *Bipolaris*, *Curvularia*, *Drechslera*, *Exserohilum* and their teleomorphs. 170-171
- . [Review of] *Leptographium* root diseases on conifers. 330-331
- . *Nectria* and *Penicillifer*. 347-355
- . Fungicolous, lichenicolous and myxomyceticolous species of *Hypocreopsis*, *Nectriopsis*, *Nectria*, *Peristomialia*, and *Trichonectria*.; review 665-666
- . Ed. Mycological contributions celebrating the 70th birthday of Dr. Clark T. Rogerson; review 943
- Samuels, G. J. and K. F. Rodrigues. *Batistia annulipes* and its anamorph, *Acrostroma annellosynema*. 52-56
- Samuels G. J. see Rogerson and Samuels 413
- San Antonio, J. P. Mycorrhizal infection of adventitious roots of leek seedlings inoculated with one sporeling of *Glomus monosporum*. 658-662
- Savile, D. B. O. [Review of] Coevolution of fungi with plants and animals. 490-493
- . Harold Johnston Brodie, 1907-1989. 832-836
- Schlagnhauser B. see Romaine and Schlagnhauser 822
- Schoknecht J. D. see Keller and Schoknecht 454
- Sclerotia  
*Hygrophoropsis aurantiaca* 905-912  
Sclerotium-specific protein  
*Hygrophoropsis aurantiaca* 905-912
- Scott D. see Wyllie and Scott 175,
- Seabury F. see Mims and Seabury 754
- Secondary metabolites  
*Fusarium graminearum* 646-650
- Septal pore  
*Helvella* 914-920  
*Schroeteria* 884-895  
*Tilletia* 650-652
- Septum  
*Tilletia* 650-652
- Shearer, C. A. Aniptodera (Halosphaeriaceae) from wood in freshwater habitats. 139-146
- Shilling C. W. see TeBeest et al. 147
- Singer, R. Agaricales from Henderson Islands (South Pacific). 793-796
- . [Review of] *Pareys Buch der Pilze*. 826
- Sinsabaugh R. L. see Szklarz et al. 234
- Sivanesan, A. Graminicolous species of *Bipolaris*, *Curvularia*, *Drechslera*, *Exserohilum* and their teleomorphs.; review 170-171
- Smith M. T. see Hoog et al. 329
- Smyth C. A. see Carris et al. 66
- Snyder, B. A., G. C. Adams and D. W. Fulbright. Association of a virus-like particle with a diseased isolate of *Leucostoma persoonii*. 241-247
- Solberg W. U. see Glawe and Solberg 296
- Song, C. H., K. Y. Cho, N. G. Nair and J. Vine. Growth stimulation and lipid synthesis in *Lentinus edodes*. 514-522
- Soybean cyst nematode 797-799
- Speciation  
*Coprinus patouillardii* 728-733  
*Exidiopsis plumbescens* 567-586
- Species concepts  
*Fusarium* sect. *Liseola* 307-311
- Spindle apparatus  
*Clavicornia pyxidata* 20-39
- Spindle pole body  
*Schroeteria* 884-895
- Spooner, B. M. Helotiales of Australasia: *Geoglossaceae*, *Orbiliaceae*, *Sclerotiniaceae*, *Hyaloscyphaceae*.; review 173-174
- Sporangiospore  
*Smittium* 742-752
- Spore development  
*Ganoderma lucidum* 754-764
- Spore encystment  
*Phytophthora palmivora* 539-548
- Spore germination  
*Aspergillus ochraceus* 772-781  
*Dictyostelium discoideum* 115-121  
*Didymium annulipes* 248-265  
*Erynia crustosa* 154-158  
*Phytophthora palmivora* 539-548  
*Smittium* 742-752  
vescicular-arbuscular mycorrhizae 382-389
- Spore morphology  
*Fuligo megaspora* 454-458
- Spores  
quantification of 459-460
- Sporulation  
*Monilinia fructicola* 293-295
- Spruce  
ectomycorrhizae 335-340
- Stasz, T. E., K. Nixon, G. E. Harman, N. F. Weeden

- and G. A. Kuter. Evaluation of phenetic species and phylogenetic relationships in the genus *Trichoderma* by cladistic analysis of isozyme polymorphism. 391-403
- Stephenson, S. L. Distribution and ecology of myxomycetes in temperate forests. II. patterns of occurrence on bark surface of living trees, leaf litter, and dung. 608-621
- Stiles, C. M. and D. A. Glawe. Colonization of soybean roots by fungi isolated from cysts of *Heterodera glycines*. 797-799
- Sugiyama, J. Pleomorphic fungi: the diversity and its taxonomic implications.; review 328-329
- Summerell B. A. see Burgess et al. 818
- Sweeney A. W. see Goettel et al. 472
- Szklarz, G. D., R. K. Antibus, R. L. Sinsabaugh and A. E. Linkins. Production of phenol oxidases and peroxidases by wood-rotting fungi. 234-240
- Tang H.-C. see Collins and Tang 149
- Tao K. see Liu and Tao 167,
- Taylor T. N. see Osborn and Taylor 622
- , see White and Taylor 643
- TeBeest, D. O., C. W. Shilling, L. Hopkins Riley and G. J. Weidemann. The number of nuclei in spores of three species of *Colletotrichum*. 147-149
- Te Starke D. see Cochrane et al. 504
- Te Strake, D., J. Y. Park and B. G. Yangco. Exoantigen comparisons of selected isolates of *Basidiobolus* species. 284-288
- Te Strake D. see Alberts et al. 460
- Temperature  
effect on in *Verticillium* 161-163
- Thompson, D. P. Fungitoxic activity of essential oil components on food storage fungi. 151-153
- Toledo, L. D. de and R. H. Petersen. A toxic *Ramaria* species from South America. 662-664
- Toussoun T. A. see Burgess et al. 480
- Trichospore  
*Smittium* 742-752
- Tzean, S. S. and J. L. Chen. A new species of *Triadelpia* from Taiwan. 626-631
- , A new species of *Endophragmiella* from Taiwan. 800-805
- Tzeng, D. D. and J. E. DeVay. Biocidal activity of mixtures of methionine and riboflavin against plant pathogenic fungi and bacteria and possible modes of action. 404-412
- Vaillancourt L. J. see Panaccione et al. 876
- Van Dyke C. G. see Chiang et al. 532
- Vanky, K. Illustrated genera of smut fungi.; review 168
- Vanky K. see Nagler et al. 884
- Vegetative incompatibility  
*Fomitopsis rosea* complex 85-96
- Vesicular-arbuscular mycorrhizae  
*Endogonaceae* from Mexico 933-935  
*Glomus nanolumen* 933-938  
*Scutellospora* and *Glomus* 927-933  
infection techniques 658-662
- Vincent, M. A. and J. I. Pitt. *Penicillium allii*, a new species from Egyptian garlic. 300-303
- Vine J. see Song et al. 514
- Virus-like particles  
*Leucostoma persoonii* 241-247
- Volk, T. J. and T. J. Leonard. Experimental studies on the morel. I. Heterokaryon formation between monoasporous strains of *Morchella*. 523-531
- Volkman-Kohlmeier B. see Kohlmeier and Volkman-Kohlmeier 289
- Wain R. P. see Cochrane et al. 504
- Water potential  
*Lentinus edodes* 464-467
- Watling, R. and N. M. Gregory. British fungus flora, agarics and boleti. 5. *Strophariaceae* and *Coprinaceae* p.p. *Hypholoma*, *Melanotus*, *Psilocybe*, *Stropharia*, *Lacrymaria* and *Panaeolus*.; review 170
- Watling R. see Boddy et al. 826
- Weeden N. F. see Stasz et al. 391
- Weete J. D. see Dute et al. 772
- Weidemann G. J. see TeBeest et al. 147
- Weijman A. C. M. see Hoog et al. 329
- Weiss M. see Agerer and Weiss 444
- Wells, K. and G. J. Wong. Partial intersterility and evidence of allopatric speciation in *Exidiopsis plumbescens* (*Exidiaceae*). 567-586
- Wells K. see Berbee and Wells 20
- , see Digby and Wells 595
- White, J. F. Jr., and T. N. Taylor. A trichomycete-like fossil from the triassic of Antarctica. 643-646
- Whitney, N. G. Taxonomy of the fungus causing kernel smut of rice. 468-471
- Wicklow, D. T. and P. F. Dowd. Entomotoxigenic potential of wild and domesticated yellow-green *Aspergilli*: toxicity to corn earworm and fall armyworm larvae. 561-566
- Wilson G. W. T. see Daniels and Wilson 382
- Windels, C. E., C. J. Mirocha, H. K. Abbas and W. Xie. Peritheciium production in *Fusarium graminearum* populations and lack of correlation with zearalenone production. 272-277
- Wolfe, C. B. Jr., and R. E. Halling. *Tylopus griseo-carneus*, a new species from the North American Atlantic and Gulf Coastal Plain. 342-346
- Wong G. J. see Wells and Wong 567
- Wood decay 765-770  
*Postia placenta* 205-213
- Wright, J. E. The genus *Tulostoma* (*Gasteromycetes*) -- a world monograph.; review 331-332
- Wu L.-C. see Heckman et al. 717
- Wyllie, T. D. and D. H. Scott Eds. Soybean diseases of the North Central region.; review 175
- Xie W. see Windels et al. 272
- Yangco B. G. see Cochrane et al. 504
- , see Te et al. 284
- Zambino, P. J. and T. C. Harrington. Isozyme variation within and among host-specialized varieties of *Leptographium wagneri*. 122-133
- Zang, M. and R. H. Petersen. *Endophallus*, a new genus in the *Phallaceae* from China. 486-489
- Zearalenone  
*Fusarium graminearum* 272-276
- van Reenen-Hoekstra E. S. see Samson and van Reenen-Hoekstra 942



## FUNGUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

- Absidia glauca* 12  
*Acaulospora*  
   *appendicula*  
     *foveata* 933  
     *gerdemannii*  
       *laevis* 930, 934  
     *scrobiculata*  
       *spinosa* 933  
*Acervus*  
   spp. 917  
*Achiya*  
   sp. 461, 462f  
*Acremonium* 54, 355, 810  
   *coenophialum* 805-806, 810  
     *huerfanum* 809  
     *kiliense* 68  
     *lolii* 805-806  
     *sclerotigenum* 68  
     sect. *Albo-lanosa* 692, 700, 805  
     sp. 807-808  
     spp. 700, 809  
     *starrii* 809  
     *typhinum* 700  
*Acrogenospora*  
   *sphaerocephala* 897, 904  
*Acrostroma*  
   *annellosynnema* 53, 53f, 54-55  
*Acytostelium*  
   *irregularosporum* 683, 689  
     *leptosomum* 689  
     *subglobosum* 687-689  
*Aegerita*  
   *candida* 623  
*Agaricaceae* 795  
*Agaricales* 20, 587, 793  
*Agaricus*  
   *bisporus* 27, 35, 247, 433-442, 520-521, 717-726,  
     720-722f, 724-725f, 822-825  
     *brunnescens* 213  
*Agrocybe*  
   *praecox* 35  
*Aiithaloderma* 203  
   *citri* 203  
   *ferruginea* 203  
   *viridis* 203  
*Aleuria*  
   spp. 917  
*Allomyces* 814  
*Alpova*  
   *diplophloeus* 588  
*Alternaria*  
   *alternata* 68  
   *brassicae* 405-406, 408, 411  
   *mali* 131  
*Amanita*  
   *brunnescens* 588  
   *citrina* 588  
   *flavoconia* 588  
   *muscaria* 588  
   *phalloides* 266-271  
   *rubescens* 588  
*Amoebidiales* 643  
*Amoebidium*  
   *parasiticum* 751  
*Amphinema*  
   *byssoides* 337-339  
*Amphoromorpha* 735  
   *blattina* 736, 738f, 739-740  
   *entomophila* 736, 738f, 739-740  
   spp. 736, 740  
*Amphoropsis* 735, 740  
*Aniptodera* 139-140, 142, 145  
   *chesapeakeensis* 139-140, 141f, 142, 145-146, 145f  
   *fusiformis* 140, 143f, 145-146, 145f  
   *limnetica* 140, 143f, 145-146, 145f  
   *mangrovii* 145  
   *margaritum* 142, 144f, 145-146, 145f  
   sp. 146  
*Anixiella* 226  
*Anthracobia*  
   spp. 917, 919  
*Antipodium* 352-353  
   *spectabile* 354  
*Aphanocladium*  
   *album* 68  
*Aphanomyces* 460  
   sp. 461, 462f  
*Aphyllphorales* 20, 587  
*Apiocrea* 413  
   *boletina* 428  
   *chrysosperma* 428  
   *tulasneanus* 430  
*Appendiculella* 201  
*Arcyria*  
   *cinerea* 305, 612-613, 616-619  
   *denudata* 612-613, 616  
   *globosa* 618  
   *oerstedii* 256  
   *pomiformis* 612, 616  
   sp. 612  
*Armillaria* 5  
   *bulbosa* 224  
   *calvescens* 217, 219f, 220, 220, 221f, 222-224  
   *cepaestipes* 222-224  
   *gemina* 217, 219f, 220, 221f, 222-224  
   *lutea* 216-217, 220, 222-223  
   *mellea* 216-224, 220, 222-223, 521, 605, 766  
   *ostoyae* 216, 219f, 220, 222-224  
   *sinapina* 216-217, 220, 222-224  
   sp. 222-223  
   *tabescens* 222-224  
*Arnium* 476

- Arrhenia*  
   *goossensiae* 81  
*Arthrobotrys*  
   *oligospora* 68  
*Arthrocladium*  
   *caudatum* 68  
*Arxiomyces* 50  
   *vitis* 50  
*Ascobolaceae* 915, 917, 919  
*Ascochyta*  
   *pisi* 281  
*Ascocorticium*  
   *anomalum* 893  
*Ascodesmis* 917  
   *sphaerospora* 917  
*Ascomycetes* 54, 236, 353, 889, 893, 914  
*Asellariales* 643  
*Asordaria* 864  
   *islandica* 864  
   *tenerifae* 864  
*Aspergillus* 151, 153, 322, 649  
   *flavus* 12, 152-153, 561-565, 843, 912  
     *flavus* var. *columnaris* 564  
     *flavus* var. *flavus* 561-564  
     *flavus* var. *oryzae* 561-565  
     *flavus* var. *parasiticus* 561-563  
     *flavus* var. *sojae* 561-563  
     *fumigatus* 777, 779  
     *giganteus* 12, 777  
     *leporis* 13  
     *luchuensis* 12-12  
     *nidulans* 39, 777, 779  
     *niger* 12, 777, 779  
     *nomius* 843  
     *ochraceus* 772-781, 774f, 776f, 778f, 780-781f  
     *oryzae* 12  
     *parasiticus* 12, 152-153, 159-160, 843-843  
     sect. *Flavi* 159  
     *sojae* 159-160  
     spp. 777, 779  
     *terreus* 12  
     *toxicarius* 160  
     *versicolor* 843  
*Asteridiella* 201  
   *confragosa* 201  
*Asterina* 203  
*Asterinaceae* 203  
*Atkinsonella* 692, 698, 700  
   *hypoxylon* 692-693, 694f, 695, 696-697f, 696-700, 807  
     *hypoxylon* var. *texensis* 695, 698  
     spp. 699, 809  
     *texensis* 694f, 695-696, 696-697f, 699  
*Atractogloea* 199  
*Aureobasidium*  
   *pullulans* 68  
*Auricularia* 111-112  
   *auricula-judae* 568  
   *fuscusuccinea* 22, 104, 108  
*Auriculariales* 98, 104, 111  
*Badhamia* 632-635  
   *affinis* 612  
   *apiculospora* 635, 786  
   *gracilis* 786  
   *obovata* 616  
   *rhytidospema* 784, 785f, 786-788, 787-788f  
   *semiannulata* 632  
   *spinispora* 632, 632-635, 633-635f, 782, 786  
*Balansia* 692, 700, 809  
   *cyperi* 699  
   *eipchloe* 807  
   *epichloe* 699  
   *henningsiana* 699  
   *oblecta* 699  
   spp. 700  
*Bankera*  
   *fuligineo-alba* 588  
*Barbeyella*  
   *minutissima* 306  
*Basidiobolus* 504-505, 507, 509-512, 735, 739  
   *haptosporus* 284-287, 504-505, 507, 509-511, 739  
   *magnus* 739  
   *meristosporus* 284-287, 504-505, 510-511, 740  
   *microsporus* 284-287, 504-505, 510-511  
   *ranarum* 284-287, 504-505, 510-511, 735-736, 737f, 739-740  
   sp. 507  
   spp. 284-287, 740  
*Basidiomycetes* 793, 893  
*Basidiomycotina* 567  
*Batistia* 52, 54  
   *annulipes* 52-55, 53f, 54-55  
*Batistiaceae* 54  
*Benjaminiella*  
   *poitrasii* 939-940  
*Bipolaris*  
   *bicolor* 534-535  
   *halepense* 532-537, 536f, 537  
   *maydis* 532-537  
   *nodulosa* 534-535  
   *oryzae* 535  
   *sorghicola* 532-537, 536f  
   *sorokiniana* 533, 535-536  
   sp. 532  
   spp. 533-535  
   *victoriae* 533-535  
   *zeicola* 533-536, 533-536  
*Bjerkandera*  
   *adusta* 211  
*Blastocladia* 812-814  
   *pringsheimii* 812-814  
   *ramosa* 812-814  
   spp. 811  
*Blastocladiaceae* 812, 814  
*Blastocladales* 812  
*Blastocladia* 814  
*Bojamyces* 482  
   *repens* 482, 483-485f  
*Boletellus*  
   *russellii* 588  
*Boletinus*  
   *cavipes* 588  
   *paluster* 588  
*Boletus* 430  
   *badius* 428  
   *chrysenteron* 428  
   *edulis* 431, 588, 590

- luridus 431  
 mirabilis 521  
 nigroviolaceus 345  
 ornatipes 588  
 rubinellus 27, 35, 763  
 sp. 425, 431  
 Bombardioidea 864  
 Botryotrichum  
   piluliferum 68  
 Botrytis  
   cinerea 147, 405, 408, 411  
 Brachysporium  
   crepinii 817  
 Calomyxa  
   metallica 612  
 Calonectria 352  
 Caloscypha  
   spp. 917  
 Camarops  
   spathulata 52  
 Camposporium  
   pellucidum 68, 798  
 Candida  
   albicans 317, 319, 461  
   pseudotropicalis 319  
   tannotolerans 317, 319  
   tropicalis 319  
 Carouxella  
   scalaris 485  
 Catenaria  
   auxiliaris 66–66, 73  
 Caudella 203  
 Cavostelium  
   apophysatum 261  
 Cenococcum  
   geophilum 336–339, 587–588, 911  
 Cephalosporiopsis 353  
   simplex 353, 354  
 Cephalotheca 52, 54  
   sulphurea 52, 54  
 Cephalothecaceae 52, 54–54  
   subfam. Batistieae 54  
 Ceratiomyxa  
   fruticulosa 616  
 Ceratocystis  
   clavigera 903  
   ulmi 831  
 Ceratostomaceae 47  
 Ceratostomataceae 47, 50  
 Cercospora  
   kikuchii 322  
   nicotianae 322–324  
   sp. 404  
 Chaetomiaceae 50, 862  
 Chaetomium  
   cellulolyticum 235–238  
   cochliodes 68  
   histoplasmoides 68  
   perlucidum 68  
   piluliferum 235–238  
 Chaetopsina  
   catenulata 354–355  
 Chaetothyriaceae 203  
 Chaetothyrium 203–203
- Chalara 54  
   heteroderae 68  
 Chaliciporus  
   piperatus 588  
 Cheilymenia  
   spp. 917  
 Chrysosporium  
   pannorum 12  
 Chytridiales 735  
 Chytridiomycetes 812–813  
 Cladobotryum  
   varium 354  
 Cladosporium  
   cladosporioides 68  
   cucumerinum 779  
 Clastoderma  
   debaryanum 306, 612–613, 616  
 Clavaria 327  
   argillacea 325, 327  
   asperulospora 327  
   atrofusca 327  
   echino-nivosa 327  
   neonigrita 327  
   oronoensis 325, 326–327f, 327  
   subg. Clavaria 325  
   subg. Holocoryne 325  
 Clavicipitaceae 203  
 Clavicornia  
   pyxidata 20–41, 23–26f, 31f, 33–34f, 36–38f  
 Clitocybe  
   kabulensis 795  
   tournefortiae 794, 794f  
 Clonostachys 353–354  
 Cochliobolus  
   carbonus 779  
 Coleosporium 110  
 Colletotrichum 147  
   atramentarium 147  
   circinans 147  
   coccodes 147–148  
   gloeosporioides 147, 405, 411  
   gloeosporioides f. sp. aescynomene 147–148  
   gloeosporioides f. sp. jussiaeae 147–148  
   gloeosporioides f. sp. malvae 147–148  
   graminicola 147, 876–883, 878–880f, 882f  
   lagenarium 147  
   lunata 408  
   malvarum 147–148  
   truncatum 147  
 Colloderma  
   oculatum 612  
 Collybia  
   butyracea 870  
   dichroa 875  
   maculata 872–873  
   popayanica 872, 872f, 873, 874f  
   sect. Cystidiatae 875  
   sleumeri 870f, 873, 874f, 875  
   spp. 870  
   subg. Rhodocollybia 870, 875  
   turpis 870, 870f, 872–873, 874f  
   unakensis 875

- Coltricia*  
   *perennis* 588  
*Comatricha* 613  
   *acanthodes* 612-613  
   *fimbriata* 612  
   *laxa* 612, 616  
   *lurida* 616-617  
   *nigra* 612-613, 616  
   *pulchella* 616  
   *reticulospora* 616  
   *solitaria* 612  
   spp. 612  
*Conidiobolus* 284, 504  
   *obscurus* 158  
   spp. 739  
   *thromboides* 158  
*Coprinus*  
   *cinereus* 35, 39, 732, 761, 763, 911  
   *comatus* 832  
   *congregatus* 726  
   *cordisporus* 732  
   *ephemerus* 729  
   *flocculosus* 729  
   *heptemerus* 730  
   *laanii* 729-730, 732  
   *micaceus* 27  
   *patouillardii* 728, 730-733, 731f  
   *radiatus* 22, 35  
   *sclerotiger* 729  
   sect. *Vestitii* 730  
   spp. 732, 833, 912  
   *sterquilinus* 731  
   *xenobius* 729-730  
*Coprotus*  
   spp. 917  
*Coriolus*  
   *versicolor* 211, 235-239  
*Coronophoraceae* 203  
*Corticium*  
   *dryinum* 923  
*Cortinariaceae* 796  
*Cortinarius*  
   *allutus* 588  
   *amoenolens* 588  
   *anomalus* 588, 590f  
   *brunneus* 588  
   *glaucoopus* 588  
   *mucosus* 588  
   sp. 520  
   *subpurpurascens* 588  
*Corynespora*  
   *cassicola* 68, 797  
*Crepidotaceae* 796  
*Crepidotus*  
   *schusteri* 794f, 796  
*Cribraria*  
   *confusa* 612  
   *microcarpa* 616-617  
   *minutissima* 612-613  
   *violacea* 612  
*Cristaspora*  
   *arxii* 68  
*Cristulariella*  
   *pyramidalis* 554, 558-558  
*Cronartium* 110  
*Crustoderma*  
   *corneum* 925  
   *dryina* 923-925  
   *flavescens* 925  
   *longicystidia* 921, 922-924f, 923-926  
   *marianum* 925  
   *opuntiae* 925-926  
   *resinosum* 925  
   spp. 921, 923-924, 926  
   *testatum* 925  
*Cryphonectria*  
   *parasitica* 241, 554-559  
*Cryptococcus*  
   *neoformans* 319  
*Cryptosphaeria*  
   *populina* 797-798  
*Culicinomyces*  
   *clavisporus* 472-474, 473f  
*Curvularia*  
   *crepinii* 815-817, 816f  
   *lunata* 405, 411  
*Cyathus* 834  
   *costatus* 834  
   *helenae* 832  
   spp. 833  
   *stercoreus* 834  
*Cylindrocarpon* 72, 352  
   *destructans* 68, 72-73, 798  
   *fusiforme* 68  
   *magnusianum* 68  
*Cylindrocladium* 352  
*Cystobasidiaceae* 111-112  
*Dactylaria*  
   *acerosa* 68  
*Daldinia* 199  
*Dematium*  
   *virescens* 369  
*Dendryphiella*  
   spp. 732  
*Dendryphon*  
   *nanum* 68, 798  
*Dialonectria* 12  
*Diaporthe*  
   *phaseolorum* f. sp. *caulivora* 549-553  
*Dichotomophthoropsis*  
   *nymphaerum* 372  
*Dicoccum*  
   *uniseptatum* 626  
*Dictyochaeta*  
   *heteroderae* 68  
*Dictyophora* 487  
*Dictyostelium*  
   *aureo-stipes* 679, 683, 687-689  
   *aureo-stipes* var. *helvetium* 688  
   *brunneum* 683  
   *capitatum* 683  
   *crassicaule* 683  
   *delicatum* 683, 687-688  
   *diminutivum* 683  
   *discoideum* 115-121, 679, 683, 687-689  
   *firmibasis* 683, 687-688, 690  
   *giganteum* 679, 688-689  
   *implicatum* 683, 687-690

- lacteum 679, 683  
 microsporum 683, 687-689  
 minutum 679, 683, 687-689  
 monochasiodes 683, 687-689  
 mucoroides 678-681, 683, 687-688, 690  
 mucoroides var. stoloniferum 689  
 parvisporum 683, 687-689  
 polycarpum 683, 687-689  
 polycephalum 683, 687-689  
 purpureum 678-680, 683, 687-689  
 rhizopodium 683, 687-689  
 rosarium 683  
 septentrionalis 683, 687-689  
 sp. 687-690  
 sphaerocephalum 683, 687-688, 690  
 spp. 683
- Didymia**  
 chondrioderma 612-613, 616  
 effusum 612, 616-617  
 testaceum 616, 619
- Didymium** 248-265  
 annulispurum 248-265, 249, 251-253f, 255-257f,  
 260f, 262f, 786  
 atrichum 254, 263-265  
 circumscissile 263  
 iris 149-150, 254, 264, 303, 306, 618, 636-638,  
 656-657, 733  
 nigripes 254  
 nullifilum 254, 259f, 264  
 ochroideum 616  
 ovoideum 254  
 saturnus 250, 254, 258f, 264-265  
 sp. 263  
 squamulosum 263, 619  
 sturgisii 254  
 subg. Didymium 264  
 trachysporum 254, 264
- Diheterospora**  
 chlamydosporia 66-66, 68, 72-73, 797-798
- Diporotheca** 192  
 rhizophila 201
- Discina** 919
- Discomycetes** 915
- Drechslera**  
 avenae 68  
 sorokiniana 843  
 teres 535
- Drepanospora** 356, 370  
 pannosa 357, 365, 366f, 370  
 viride 369f, 371
- Dwayalomella** 638  
 setulosa 638, 639f, 640, 641f, 642  
 vaccinii 639f, 640, 641f, 642
- Eccrinales** 643
- Echinodontium**  
 tinctorium 766-769
- Echinosteliales** 303, 613
- Echinostelium**  
 arboreum 303-306, 304-305f  
 cribrarioides 306  
 minutum 303, 612-613, 616
- Elaphomyces**  
 muricatus 591
- Elsinoe**  
 ampelina 405, 411  
 panici 707
- Emericella** 843
- Empusa** 739
- Endogonaceae** 933
- Endophallus** 488  
 yunnanensis 487-488f, 488
- Endophragma** 800
- Endophragmiella** 800-801  
 achromatica 800, 801-803f, 804  
 bisbyi 804  
 boewei 804  
 canadensis 800  
 eboracensis 804  
 pallescens 800, 804  
 theobromae 804  
 tripartita 804
- Endothia**  
 parasitica 241, 554
- Enerthenema**  
 papillatum 612-613
- Englerulaceae** 203
- Engyodontium**  
 album 68
- Enterobryum** 645
- Entomophthorales** 154, 511
- Entorrhiza**  
 casparyana 650, 652
- Entyloma**  
 arnosseridis 650  
 thirumalacharii 650
- Eocronartiacae** 110
- Eocronartium** 110-111  
 muscicola 98-112, 101f, 103f, 105f, 107f, 109f
- Ephelis** 692, 696, 699
- Epichloe** 700, 805-806, 809-810  
 hypoxylon 693  
 sp. 807  
 typhina 699-700, 806, 809
- Epicoccum**  
 purpurascens 68
- Erynia**  
 bullata 158  
 canadensis 158  
 crustosa 154-158, 157f  
 phytanomi 158  
 radicans 156, 158  
 sp. 156, 158
- Erysiphaceae** 203
- Erysiphe** 192  
 graminis 779
- Eucercaria** 203-203
- Eupenicillium**  
 crustaceum 838  
 egyptiacum 838  
 molle 838  
 osmophilum 838  
 spp. 843  
 tularense 838
- Eurotiaceae** 914
- Eurotiales** 52
- Exidiopsis**  
 plumbescens 568, 574, 605



- plumbescens* var. *fabalispora* 573f, 574, 576-585, 580f  
*plumbescens* var. *plumbescens* 570-585, 573f, 581f  
*Exophiala* 66, 72  
*pisciphila* 68, 72  
 spp. 903  
*Exserohilum*  
*rostratum* 535  
*turcicum* 535  
*Fibulataeniella* 623  
*Fimetariella* 475-479, 864  
*rabenhorstii* 475  
*Flammulina*  
*velutipes* 211  
*Fomes* 5  
*cajanderi* 85-86  
*dochmius* 85  
*roseus* 85-86  
*subroseus* 85-86  
*Fomitopsis*  
*cajanderi* 85-88, 87, 89-90f, 93f, 94-96  
*carnea* 85-88, 89-90f, 93f, 94-96  
*cupreo-rosea* 85-87, 89-90f, 91, 94-96  
*dochmia* 85-87, 89-90f, 91, 93f, 94-96  
*feei* 85-87, 89-90f, 91, 93f, 94-96  
*lilacino-gilva* 85-87, 89-90f, 93f, 94-96  
*pinicola* 567  
*rosea* 85-87, 89-90f, 92-93, 93f, 94-96  
 spp. 93f  
*Fuligo* 455f, 456, 458  
*cinerea* 454, 455f, 458  
*megasporea* 454-458, 455f, 457f, 784  
*septica* 454, 458  
*Fusariella*  
*hughesii* 354  
*Fusarium* 66, 72, 353, 480, 527, 649  
*annulatum* 308, 310-311  
*anthophilum* 818  
*aqueductum* 68  
*compactum* 818-819  
*decemcellulare* 354  
*dimerum* 818-819  
*dlamini* 818-819  
*equiseti* 68, 818-819  
*f. sp. apii* 278-282, 280f  
*fujikuroi* 308-311  
*graminearum* 272-276, 307, 646-649  
*moniliforme* 307-311, 405, 411, 818-819  
*napiforme* 818-819  
*nygamai* 480-481, 818-819, 821  
*oxysporum* 68, 70, 72-73, 307, 481, 798, 818-821, 820f  
*proliferatum* 818  
 sect. *Elegans* 480, 818  
 sect. *Elegans* subsect. *Constrictum* 818  
 sect. *Elegans* subsect. *Orthocera* 818  
 sect. *Elegans* subsect. *Oxysporum* 818  
 sect. *Liseola* 307-311, 354, 480, 818-819  
*solani* 68, 70, 72, 798, 818-819  
 sp. 308  
 spp. 281-282, 821  
*subglutinans* 308, 818  
*Fuscoboletinus*  
*ochraceoroseus* 521  
*Gabarnaudia* 354  
*Ganoderma*  
*applanatum* 763  
*lucidum* 754-764, 757-760f, 762f  
*Gelasinospora* 226-233, 475, 862  
*brevispora* 226, 227f  
*calospora* 228  
*cratophora* 228, 229f  
*dictyophora* 230, 231f, 233  
*endodonta* 228  
*hapsidophora* 231f, 232-233  
*himalayensis* 233  
*longispora* 230  
*mirabilis* 233  
*novoguineensis* 233  
*pseudocalospora* 228  
*reticulospora* 232  
*retispora* 232  
*santi-florii* 228  
*seminuda* 228  
*Geniculosporium*  
 sp. 68  
*Genistellospora*  
*homothallica* 749, 751  
*Geopyxis* 915, 917  
 spp. 919  
*Gibberella* 353  
*fujikuroi* 307, 311  
*fujikuroi* var. *intermedia* 310  
*subglutinans* 307, 310-311  
*zeae* 272, 275  
*Gigaspora*  
 sp. 383  
*Gliocladium* 66, 72  
*catenulatum* 68, 798  
*roseum* 68, 70, 72  
*virens* 316, 393, 396-402  
*Gliophragma* 790  
*Gloeophyllum*  
*trabeum* 211, 234  
*Glomerella*  
*graminicola* 876  
*Glomus*  
*claroideum* 383-387, 932  
*constrictum* 933  
*epigaeum* 383, 385-388  
*etunicatum* 382-388  
*fasciculatum* 938  
*gerdemannii*  
*halonatum* 933  
*intraradices* 938  
*microaggregatum*  
*monosporum* 658-662, 659f  
*mosseae* 382-388, 938  
*nanolumen* 935, 936-937f, 938  
 sp. 927  
 spp. 383, 938  
*trimurales* 930, 931f, 932  
*Gnomonia* 50  
*Gonytrichum*  
*macrocladium* 68  
*Graphium*  
 sp. 903  
*Gymnopilus*

- crocias 796  
 Gyromitra 917, 919  
 Haliphthoros  
   milfordensis 710-711, 713  
 Halosphaeriaceae 145  
 Harpella  
   melusinae 751  
 Harpellales 485, 643, 742  
 Hebeloma  
   crustuliniforme 339, 588  
   cylindrosporum 588  
   longicaudum 588  
   mesophaeum 588  
   sp. 520  
   velutipes 588  
 Helicobasidium 111-112  
   mompia 104, 106, 108, 110-112  
 Helicocephalum  
   corniculatum 164, 164-166, 165f, 166f  
   diplosporium 165  
   oligosporium 165-166  
   sarcophilum 165  
 Helicodendron  
   fuscum 373  
 Helicogloea 104, 106, 108, 110-112  
   sp. 111  
 Helicoma 356-359  
   ambiens 371  
   berkeleyi 371  
   binale 371  
   curtisii 372  
   fasciculatum 372  
   griseum 367  
   intermedium 371  
   limpidum 372  
   microscopicum 372  
   monilipes 372  
   muelleri 371-373  
   phaeosporum 373  
   polysporum 373  
   proliferens 371  
   recurvum 373  
   repens 373  
   velutinum 373  
   viridis 371  
 Helicomycetes 356  
   aureus 360  
   brunneolus 371  
   cinereus 362  
   gracilis 362  
   roseus 371  
   vegetus 369  
 Helicoon  
   auratum 371  
   ellipticum 372-373  
   politulum 372  
   richonis 373  
 Helicoryne  
   ramosa 373  
   viride 371  
 Helicosporium 356-359, 368  
   abuense 357, 358f, 359-360  
   albidum 371  
   albo-carneum 371  
   ambiens 371  
   anamorph of *Ophionectria cerea* 373  
   auratum 371  
   aureum 356-357, 358f, 359-360  
   berkeleyi 371  
   binale 371  
   boydii 372  
   brunneolum 371  
   brunneum 372  
   cinereum 362  
   citroviride 356, 358f, 360  
   curtisii 372  
   decumbens 357, 359-360, 364f  
   diplosporium 372  
   elinorae 370  
   ellipticum 372  
   ellisii 372  
   fasciculatum 372  
   fuckelii 372  
   gracile 357, 359, 361f, 362  
   griseum 357, 359, 361f, 362, 367  
   guianenses 357, 359, 361f, 365  
   herbarum 372  
   hiospiroides 357, 359, 364f, 365  
   indicum 357, 359, 364f, 365  
   insuetum 372  
   intermedium 371  
   leptosporium 362  
   lilacinum 362  
   limpidum 372  
   linderi 366f, 370  
   lumbricoides 362, 367  
   lumbricopsis 357, 359, 361f, 362f, 365  
   microscopicum 372  
   monilipes 372  
   muelleri 372  
   murinum 357, 359, 361f, 367  
   neesii 356-357, 360, 366f, 369  
   nematosporum 370  
   nizamabadense 357, 359, 364f, 367  
   nymphaeum 372  
   olivaceum 369  
   pallidum 357, 359, 362f, 367  
   panacheum 357, 359, 362f, 368  
   pannosum 357, 370  
   phaeosporum 372  
   phragmitis 357, 359, 366f, 368  
   pilosum 360  
   politulum 372  
   polysporum 373  
   populi 373  
   prasinum 373  
   pulvinatum 373  
   ramosum 368, 373  
   recurvum 373  
   repens 373  
   richonis 373  
   serpentinum 370  
   simplex 373  
   sp. 358f  
   spectabile 373  
   talbotii 357, 359, 364f, 368  
   thysanophorum 373  
   tiliae 373

- vegetum 356-357, 366f, 369  
 velutinum 373  
 virescens 356-357, 359-360, 366f, 366f, 369, 372  
 viride 371-371  
**Helicotrichum**  
 albo-carneum 371  
 populi 373  
 pulvinatum 369, 373  
 vegetum 369  
**Helminthosporium**  
 bicolor 535  
 carbonum 535, 779  
 caryopsidum 535  
 cookei 535  
 crepinii 817  
 diedickii 817  
 halodes 535  
 leucostylum 535  
 maydis 535, 779  
 nodulosum 535  
 oryzae 535  
 rostratum 535  
 sativum 535  
 sorghi 535  
 sorghicola 535  
 sudanensis 535  
 teres 535  
 turcicum 535  
 victoriae 246-247  
 victoriae 535, 779  
**Helvella** 917  
 crista 916f, 917, 918f  
 pezizoides 916f, 917, 918f, 919  
 spp. 914-915, 917, 919  
 stevensii 916f  
 sulcata 917, 918f, 919  
**Helvellaceae** 914, 919  
**Hericium**  
 abietis 766  
**Herpobasidium** 110-111  
**Heterobasidiomycetes** 98  
**Heterobasidion**  
 annosum 137, 211, 568-569, 605, 766  
**Hirschioporus** 605  
 abietinus 567  
**Histoplasma**  
 capsulatum 12, 287, 511  
**Hohenbuehelia**  
 pruinosa 795  
**Humariaeae** 915, 919-919  
**Humicola**  
 fuscoatra 68  
**Hyalospora** 110  
**Hydnangium**  
 carneum 588  
**Hydnellum**  
 sp. 520  
**Hygrophoropsis**  
 aurantiaca 905-912, 909-910f  
**Hygrophorus**  
 eburneus 588  
 russula 588  
**Hymenomycetes** 730  
**Hymenoscyphus**  
 ericae 327  
**Hyphoderma**  
 mutatum 568  
**Hyphomycetes** 893  
**Hypocopa**  
 fimicola 863  
**Hypocrea** 391  
**Hypocreaceae** 413  
**Hypocreales** 353, 413  
**Hypocrepopsis** 653  
 pulchra 653  
**Hypomyces** 413-431, 425-425  
 aurantius 354  
 badius 414, 416f, 419, 420f, 421  
 boletinus 428  
 boletiphagus 413-414, 416f, 421, 422f  
 chlorinigenus 413-414, 416f, 421, 423, 424f, 428, 431  
 chlorinus 425  
 chrysospermus 415, 416f, 418f, 420, 428-430  
 chrysospermus var. boletinus 428, 430  
 completus 414, 415, 416f, 417, 418f, 419, 426  
 luteovirens 426, 431  
 melanocarpus 414, 416f, 417, 418f, 419  
 melanochlorus 414, 416f, 418f, 418f, 425  
 microsporus 413-414, 416f, 421, 426, 427f, 428-430  
 spp. 418f  
 transformans 413-414, 416f, 417, 418f, 419  
 tulasneanus 415, 416f, 430-431  
 viridis 425  
**Ingoldiella** 42, 45  
 fibulata 42, 45-46  
 hamata 42, 45-46  
 nutans 42, 43-45f, 45-46  
**Insolubasidium** 111  
**Irenopsis** 201  
**Jola** 110-111  
**Kloeckera**  
 apiculata 317  
**Kluyveromyces** 317-322  
 aestuarii 318-320  
 africanus 318, 320  
 blattae 318-320  
 cellobiovorus 318, 320  
 delphensis 318-320  
 dobzhanskii 318, 320  
 lactis 318-320  
 lodderi 318-320  
 marxianus 318-319  
 phaffii 318-320  
 polysporus 318-319  
 thermotolerans 318-319  
 waltii 318, 321  
 wickerhamii 318-320  
 yarrowii 317-319  
**Koralionastes** 291  
 spp. 291  
**Laboulbenia**  
 biondii 739  
 spp. 735  
**Laccaria**  
 bicolor 588, 590f  
 laccata 588, 590-591, 590f

- ochropurpurea 588  
 proxima 588  
 Lactarius 338  
   affinis 588  
   chelidonium 588  
   deliciosus 588  
   hibbardae 588  
   indigo 588  
   mucidosus 588  
   pubescens 588  
   rufus 588  
   subpurpureus 588  
   thejogalus 588  
   thyinos 588  
   torminosus 588  
   vinaceorufescens 588  
 Lactocollybia  
   epia 795  
 Lagenidiales 709  
 Lagenidium  
   callinectes 709-715  
   scyllae 715  
 Lamproderma  
   scintillans 616  
 Leccinum  
   arenicola 588  
   aurantiacum 521, 588  
   holopus 588  
 Lecythophora  
   hoffmannii 68  
 Legeriomyces  
   ramosus 749  
 Legeriomycetaceae 485  
 Leiosepium 413, 415  
   aureum 425  
   tulasneum 430  
 Lentinus  
   edodes 464-467, 514-521  
 Lenzites  
   trabea 234-235, 238  
 Lepidoderma  
   chailletii 264  
 Leptographium  
   wagneri 122-132  
   wagneri var. pondersum 122-132  
   wagneri var. pseudotsugae 122-132  
   wagneri var. wagneri 122-132  
 Leucocoprinus  
   birnbaumii 795  
 Leucocytophora  
   leucostoma 241  
 Leucoscypha  
   spp. 917, 919  
 Leucostoma  
   persoonii 241-247, 242-246f  
 Licea  
   biforis 612  
   denudescens 612  
   fimicola 619  
   kleistobolus 612-613, 616  
   marginata 612-613, 616  
   minima 612-613, 616, 618  
   operculata 612-613, 616  
   parasitica 612-613  
   pedicellata 612  
   spp. 612-613  
   spp. 612  
   tenera 619  
 Liceales 613  
 Lignicola 145  
 Limacella  
   illinita 591  
 Lindra 290  
 Lulworthia 290  
   calicicola 289, 289-293, 290-291f  
   crassa 290, 292  
   fucicola 290, 292  
   grandispora 292  
   kniepii 291  
   kniepii var. curalii 290, 292  
   lignoarenaria 290, 292  
   lindroidea 292  
   spp. 291-292  
   uniseptata 290, 292  
 Lycogala  
   epidendrum 613, 616  
 Lycoperdon  
   spp. 235-237, 239  
 Lyophyllum 591  
 Macbrideola  
   cornea 612-613  
   decapillata 612  
   scintillans 612-613  
 Macrophoma  
   spp. 405, 411  
 Magnaporthe  
   grisea 131, 781  
 Marasmiellus 80-81  
   goossensiae 81-82, 81f  
   usambarensis 82  
 Marasmius 76, 84  
   androsaceus 6, 79, 83f  
   brevipes 76-81, 77f, 83, 83f, 84  
   porphyreticus 80-81, 80f, 82, 84  
   rotula 76  
   sect. Androsacei 76, 79, 83-84  
   sect. Gloeonemae 76  
   sect. Rhizomorphigena 76, 80-81, 84  
   spp. 520  
   straminipes 79  
   westii 76-77, 83  
 Mariannaea 353-354  
   clavispora 354  
   elegans 68, 798  
   superimpositus 353  
 Maublancia 203  
 Melanospora  
   zamia 69  
 Melanosporaceae 50  
 Meliella 199, 201  
   artabotrydis 201  
   circinans 192, 199, 201  
   ellisii 199  
   floridensis 192-203, 194f, 196f, 198f, 200f, 202f  
   jasminicola 201  
   palmicola 201  
 Meliolaceae 192, 203  
 Meripilus

- giganteus* 761  
*Metarhizium*  
   *anisopliae* 69  
*Microascales* 52, 54  
*Microbotryum*  
   *violaceum* 595  
*Micromphale* 76, 83–84  
   *brevipes* 77  
   *foetidum* 76, 79  
   *perforans* 76  
   *pilosipes* 84  
   sect. *Micromphale* 76  
   sect. *Perforantia* 76  
   sect. *Rhizomorphigena* 76–76  
   *tomentosum* 84  
   *venosa* 76  
   *westii* 76–77, 80  
*Microspheeropsis*  
   *olivacea* 69  
*Microsporium*  
   *gypseum* 388  
*Microthyriaceae* 203  
*Milesina* 110  
*Monilinia*  
   *fructicola* 293–295  
*Monocillium*  
   *indicum* 355  
*Morchella* 523–530, 525f  
   *angusticeps* 529  
   *crassipes* 526, 527f, 529, 529f  
   *deliciosa* 529  
   *esculenta* 253–254, 526, 529  
   *semilibera* 529  
*Morchellaceae* 919  
*Mortierella*  
   *elongata* 68  
   *isabellina* 7, 12  
   *ramanniana* 12–12  
   *vinacea* 7  
   *vinacea*(?) 12  
*Mucor* 151, 153, 504, 940  
   *bacilliformis* 939–940  
   *genevensis* 939–940  
   *hiemalis* 12, 152–153  
   *lusitanicus* 939–940  
   *mucedo* 152–153  
   *piriformis* 152–153  
   *racemosus* 939  
   *racemosus* f. *racemosus* 152–153  
   *silvaticus* 12  
   sp. 284  
   sp. 939  
*Mycena*  
   *galopus* 4  
*Mycocentrospora*  
   *acerina* 68  
*Mycogloea* 111  
*Mycotypha* 940  
   *microspora* 939–940  
*Myrioconium* 893  
*Myriogenospora* 692, 700, 809  
   *atramentosa* 699, 807  
*Myxomycetes* 248, 303, 608  
*Naiadella* 623  
*Nais* 145  
*Napicladium*  
   *crepinii* 817  
*Nectria* 347, 353  
   *alata* 347, 348f, 350f, 352–353  
   *arenula* 353  
   *chaetopsinae-catenulatae* 354–355  
   *cinnabarina* 53  
   *coronata* 352  
   *ochroleuca* 352–353  
   *penicilliferi* 349, 351f, 352–353  
   *rigidiuscula* 354  
   *septofusidiae* 353  
   *sesquicilli* 353  
   sp. 352  
*Nectriopsis* 353  
*epimyces* 353  
*Nematophthora*  
   *gynophila* 66–66, 73, 797  
*Neocallimastix* 812–813  
*Neocosmospora* 66  
   *vasinfecta* 72  
*Neotyphala* 111  
*Neovossia* 471  
   *barclayana* 468–469, 471  
   *horrida* 468, 470f  
*Neozygites*  
   *fresenii* 158  
*Neurospora* 226, 499, 523–524, 529, 917  
   *crassa* 524, 530  
*Nidulariaceae* 832  
*Nigrospora*  
   *sphaerica* 69  
*Octospora*  
   spp. 917, 919  
*Oidiodendron* 327  
   *cerealis*(?) 12  
   *citrinum* 12  
   *flavum* 12  
   *griseum* 12  
   *maius* 12  
   *tenuissimum* 12  
*Olpidium*  
   *brassicae* 779  
*Oomycetes* 539, 709  
*Ophionectria* 352  
   *trichospora* 352, 354  
*Ophiostoma*  
   *nigrocarpum* 127  
   spp. 130  
   *ulmi* 831  
   *wagneri* 130  
*Ophiostomatales* 831  
*Paecilomyces* 54, 66, 72  
   *carneus* 12  
   cf. *marquandii* 54  
   *lilacinus* 68, 798  
   *marquandii* 68, 798  
*Pagidospora* 623  
*Palaeancistrus*  
   *martinii* 622  
*Palaeofibulus* 623  
   *antarctica* 623, 624f  
*Palaeosclerotium* 622



- Panaecolus*  
 ater 39  
*Papulaspora*  
 sp. 68  
*Paramoebidium* 485  
 sp. 483  
*Paraphelaria* 111  
*Paraphoma*  
 radicina 68, 70, 72, 798  
*Parodiopsidaceae* 203  
*Passerinula*  
 sp. 68  
*Paxillaceae* 905  
*Paxillus*  
 involutus 588, 605  
*Peckiiella* 413  
 completa 415  
 transformans 417  
 tulasneanus 430  
*Penicillifer* 347, 352-353, 355  
 bipapillatus 347, 353  
 japonicus 353  
 macrosporus 349, 353  
 pulcher 352  
 simplex 353-354  
 superimpositus 353  
 variabilis 353  
*Penicillium* 300, 647, 649  
 aethiopicum 839, 845, 848, 849, 853, 857  
 album 852  
 allii 300, 300-302, 301-302f, 856  
 atramentosum 302, 839, 845, 849, 852-852  
 aurantiogriseum 837-838, 849, 855, 858-859  
 aurantiogriseum var. aurantiogriseum 839, 844-845, 849-850, 856  
 aurantiogriseum var. melanoconidium 839, 845, 849  
 aurantiogriseum var. neocheinulatum 839, 845, 849-850  
 aurantiogriseum var. polonicum 839, 845, 850, 856  
 aurantiogriseum var. poznaniense 849  
 aurantiogriseum var. viridicatum 839, 843-845, 850, 859  
 australicum 852-853  
 baculatum 851  
 biforme 850  
 brevicompactum 12, 302, 839, 842-843, 845, 850-851, 858  
 brevicompactum var. magnum 857  
 brunneostoloniferum 850  
 camemberti 12, 838-839, 846, 850-852  
 camemberti var. rogeri 850  
 candidum 851  
 carneolutescens 850  
 casei 302, 859  
 casei var. compactum 858  
 caseicola 850  
 caseiperdens 852  
 chrysogenum 12, 844, 849, 852  
 chrysogenum var. brevisterigma 851  
 chrysogenum var. chrysogenum 839, 846, 851, 853  
 chrysogenum var. dipodomys 839, 846, 853  
 citrinum 858  
 claviforme 844  
 clavigerum 839, 846, 851  
 commune 838-840, 844, 846, 853, 858  
 concentricum 844, 852, 855  
 conditaneum 849  
 confertum 840, 844, 846, 852, 857  
 conservandi 857  
 coprobium 840, 846, 852, 855  
 coprophilum 840, 844, 846, 852-852, 855  
 corymbiferum 855  
 crustosum 302, 837, 840, 844, 846, 849, 853, 856, 858-859  
 crustosum var. spinulosporum 854  
 cyclopium 837, 849, 855, 858-858  
 cyclopium var. album 852  
 cyclopium var. echinulatum 853  
 digitatum 840, 846, 853  
 digitatum var. latum 857  
 duclauxii 12, 851  
 echinulatum 840, 846, 850, 853-854  
 expansum 12, 840, 844, 846, 849, 854-856  
 farinosum 853  
 fennelliae 840, 846, 854  
 flavidomarginatum 851  
 flavoglaucom 851  
 flexuosum 855  
 fuscoglaucom 851  
 glandicola 844, 851-852, 855, 857  
 glandicola var. confertum 852  
 glandicola var. glandicola 840, 846, 852, 854-855, 857  
 glandicola var. glaucovenetum 840, 847, 852, 855  
 glandicola var. mononematosum 857  
 granulatum 854, 856  
 griseobrunneum 850  
 griseofulvum 844, 852  
 griseofulvum var. dipodomycicola 841, 847, 855  
 griseofulvum var. griseofulvum 840, 847, 855  
 griseoroseum 302, 851  
 hagemii 850  
 harmonense 851  
 hirsutum 302, 844, 859  
 hirsutum var. albocoremium 841, 847, 852, 856  
 hirsutum var. allii 841, 847, 855, 856  
 hirsutum var. hirsutum 841, 847, 855-856  
 hirsutum var. hordei 841, 847, 855, 856  
 hirsutum var. venetum 841, 847, 856  
 hordei 302, 856  
 italicum 841, 847, 857  
 italicum var. avellaneum 857  
 janthogenum 854  
 japonicum 857  
 lanosogriseum 851  
 lanosoviride 851  
 majusculum 838, 858  
 mali 858  
 mediolanense 859  
 melanochlorum 837, 858  
 mononematosum 841, 847, 853, 857, 857  
 nalgiovensis 12  
 nigricans 7, 12  
 nordicum 859  
 ochraceum 851  
 ochrochloron 12  
 olivinoviride 850  
 olsonii 841-842, 847, 857

- oxalicum 68, 843-844, 849  
 palitans 851, 858  
 palitans var. echinoconidium 854  
 patris-mei 850  
 patulum 855  
 polonicum 850  
 pseudocasei 853  
 psittacinum 852  
 reticulosum 854  
 roqueforti 12, 302, 844, 853  
 roqueforti var. carneum 841, 848, 858  
 roqueforti var. punctatum 852  
 roqueforti var. roqueforti 841, 847, 857  
 schnegii 854  
 sclerotigenum 852  
 sect. Asymetrica 302  
 sect. Penicillum 302  
 ser. Viridicata 302, 837  
 solitum 838, 841, 844, 848, 853, 858-859  
 soppi 12  
 sp. 854  
 spp. 777, 837-838, 843-844  
 stoloniferum 850  
 subg. Aspergilloides 838, 843  
 subg. Biverticillium 843  
 subg. Furcatum 838, 843  
 subg. Penicillium 302, 837-838, 842-843  
 subsect. Velutina 302  
 terraconense 853  
 terrestre 853-853  
 urticae 855  
 verrucosum 838, 841, 843, 848, 859  
 verrucosum var. album 852  
 verrucosum var. corymbiferum 849, 855  
 verrucosum var. cyclopium 844, 851, 858  
 verrucosum var. melanochlorum 853, 858-858  
 verrucosum var. verrucosum 844  
 viridicatum 302, 837-838, 849-850, 858-859  
 viridicyclopium 849  
 volgense 857  
 vulpinum 841, 844, 848, 851-852, 855, 859  
 wortmanni 12
- Peniophora**  
 longicystidia 921
- Pennella**  
 angustispora 751
- Periampphispora** 475-479, 476, 864  
 phacelodes 476, 477-478f
- Perichaena**  
 chrysosperma 612-613, 616  
 corticalis 619  
 depressa 265, 619  
 liceoides 619  
 minor 612, 616  
 quadrata 265  
 vermicularis 265, 303
- Periconia**  
 macrospinosa 68
- Peronophythora**  
 litchii 405, 408, 411
- Peronosclerospora** 393
- Persiciospora**  
 masonii 50
- Peziza**  
 tuberosa 893
- Pezizaceae** 915, 917, 919
- Pezizales** 914-915, 919
- Phaeochora** 50  
 steinheilii 50
- Phaeoisaria**  
 clematidis 69
- Phaeoramularia**  
 sp. 69
- Phaeosphaeria**  
 citri 203
- Phacostagalagus** 893
- Phallaceae** 486
- Phallales** 486
- Phallus** 487-488  
 fragrans 487-488
- Phanerochaete**  
 chrysosporium 234-239
- Phellinus**  
 ignarius 235-237, 239  
 pini 766-769  
 weirii 134-137, 375-380
- Phialophora**  
 gregata 68, 797  
 sect. Catenulatae 53
- Philocopa**  
 zygospora 868
- Phlebogaster**  
 laurisylvicola 167  
 sinensis 167, 167f
- Pholiota**  
 sp. 796  
 terrestris 27, 32, 39
- Phoma** 66, 72  
 pinodella 69
- Phyllachora**  
 ambrosiae 706  
 boutelouae 704f, 707f  
 graminis 702, 704f, 706-707  
 ischaemi 702, 706  
 lespedezae 706  
 luteo-maculata 704f, 707f  
 oryzopsidis 702  
 parilis 702, 706  
 sp. 704f  
 spp. 702, 706-707  
 themedae 706
- Phyllactinia** 192
- Phyllotopsis** 794
- Physarales** 613, 617
- Physarum** 613, 635  
 auriscalpium 612  
 bivalve 612-613, 616, 618  
 brunneolum 619  
 cinereum 616  
 decipiens 612  
 dictyosporum 784  
 galbeum 612, 616  
 gyrosum 786  
 megalosporum 612  
 nicaraguense 265  
 nutans 612-613, 616

- oblatum 612  
 polycephalum 264, 637  
 retisporum 784  
 rubiginosum 616  
 spinisporum 265, 631-632, 634  
 spp. 612  
 viride 612, 616  
**Phytophthora** 539-547  
   bahamiensis 459  
   infestans 131, 207, 210, 408, 410, 732  
   palmivora 539-547, 542-544f, 546f  
   vesicula 459  
**Pilobolus**  
   sp. 831  
**Piloderma**  
   bicolor 588  
**Piptoporus**  
   betulinus 211, 235-238, 236-239  
**Piromonas** 812-813  
**Pisolithus**  
   arhizus 588  
   tinctorius 764  
**Platycarpa** 110-111  
**Platyglœa** 111  
**Plectascales** 52  
**Plectomycetes** 914-915  
**Plectosphaerella**  
   cucumerina 68  
**Pleurotus** 794  
   concavus 793  
   ostreatus 590f, 591  
   pacificus 794  
   sajor caju 520  
   sp. 590, 605  
**Pluteaceae** 795  
**Pluteus**  
   hendersoniensis 794f, 795  
   paraensis 796  
**Podospora** 476, 523, 862, 866  
   faurelii 865  
**Polyporaceae** 793  
**Polysphondylium**  
   candidum 679, 683, 687-688, 690  
   filamentosum 683, 687-688  
   pallidum 679, 683, 687-688  
   pseudo-candidum 683, 687-688  
   tenuissimum 679, 683, 687-688, 690  
   violaceum 119, 683, 678-680, 687-688  
**Poria**  
   latemarginata 20, 35, 39  
   placenta 205  
**Postia**  
   placenta 205-213  
   sericeomollis 766-769  
**Protophysarum**  
   phloiogenum 303  
**Pseudallescheria**  
   boydii 896  
**Pseudocercospora**  
   insueta 372  
**Pseudoeurotiaceae** 54  
**Pseudorhizina** 919  
**Ptechetelium** 111  
**Puccinia** 110, 393  
   graminis f. sp. tritici 131, 732  
   malvacearum 22, 32, 106  
**Pucciniastraceae** 110  
**Pyrenochaeta**  
   terrestris 68, 70, 72, 798  
**Pyronemataceae** 915, 917  
   tribe Aleurieae 915, 917-917, 919  
   tribe Geopyxideae 915, 919  
   tribe Scutellineae 915, 917  
   tribe Sowerbyelleae 915, 917, 919  
**Pythium**  
   aphanidermatum 545  
**Pyxidiophora**  
   kimbroughii 740  
   spp. 740  
**Ramariaomyces** 790  
   corticola 790, 791-792f  
**Ramaria** 662-664  
   brevispora 664  
   toxica 663, 663f  
**Ramichloridium**  
   schulzeri 68  
**Resupinatus**  
   applicatus 592f  
**Reticularia**  
   lycoperdon 784  
**Rhachomyces**  
   leleupidae 739  
**Rhinocladia**  
   atrovirens 903  
**Rhizina** 919  
**Rhiziniaceae** 919  
**Rhizophydium** 484f  
   sp. 485  
**Rhizopogon** 430  
   rubescens 588  
   superiorensis 588  
   vinicolor 588  
   vulgaris 588  
**Rhizopus** 151, 153  
   arrhizus 151  
   chinensis 151  
   circinans 151  
   japonicus 151  
   kazanensis 151  
   oryzae 151  
   pygmaeus 151  
   stolonifer 151, 153  
   tritici 151, 153  
**Rhopalomyces**  
   elegans 166  
**Riessia**  
   radicicola 592f  
**Rozites**  
   caperata 588  
**Russula** 57, 338  
   alnetorum 667-668, 671-674  
   alnocrispae 668, 670f, 671-675  
   alnijorullensis 667-668, 671-674  
   atropurpurea 674

- atrorubens 674  
 blanda 58f, 61-63, 62f  
 compacta 64  
 crassotunicata 64  
 decolorans 667  
 emetica var. alpestris 674  
 flavisiccans 57, 58f, 60f  
 fragilis 667  
 incarnata 63  
 krombholzii 674  
 lactea 63  
 lepida 61  
 lepidiformis 61  
 lilacipes 58f, 63-64  
 montivaga 667  
 mutabilis 64  
 nigrodisca 674  
 norvegica 674  
 pulverulenta 64  
 pumila 667-668, 671-674  
 rosacea 61, 667  
 sect. Ingratae 64  
 sect. Rigidae subsect. Lilaceinae 667  
 sect. Russula subsect. Russula strips Atropurpurea  
 667-668, 671, 673-674  
 spp. 667  
 subarctica 668, 669-670f, 671-675  
 subfoetens 589  
 subsect. Crassotunicatinae 64  
 subsect. Foetentinae 64  
 subsect. Lepidinae 61  
 subsect. Lilacinae 63  
 subsect. Subvelatae 64  
 suprasect. Piperinae sect. Atropurpurinae 673  
 velenovskyi 589  
 Saccharomyces 813  
 cerevisiae 12, 32, 35, 39, 317, 319, 939  
 Sagenomella 355  
 Saprolegnia  
 sp. 461, 462f  
 Saprolegniales 461  
 Scedosporium  
 apiospermum 896-904, 898f, 900f  
 inflatum 896-904, 898f, 900-901f  
 spp. 903  
 Schizophyllum  
 commune 20, 39, 524, 583, 718, 726, 761  
 Schroeteria  
 banatica 884  
 bornmuelleri 884  
 bremeri 884  
 decaisneana 884  
 delastrina 884-894, 886f, 888f, 890-891f  
 poeltii 884-894, 886f, 888f, 890-892f  
 spp. 889  
 Sclerocystis  
 clavispora 933  
 rubiformis 938  
 sp. 383  
 Scleroderma 430  
 arenicola 589  
 bovista 589  
 citrinum 589  
 Sclerotinia  
 gladioli 893  
 sclerotiorum 912  
 spp. 893  
 tuberosa 893  
 Sclerotium  
 rolfsii 554-559, 912  
 Scopulariopsis  
 brevicaulis 903  
 brumptii 896-904, 898f, 902f  
 sp. 903  
 Scutellinia  
 spp. 917  
 Scutellospora  
 arenicola 927, 928, 929f, 930  
 aurigloba 930  
 calospora 930  
 erythropha 928, 930  
 sp. 927  
 Sebacia  
 plumbescens 574  
 Selinia 653-655  
 africana 653, 654f, 655  
 antarctica 653, 655  
 intermedia 653, 655  
 pulchra 653, 655  
 sp. 653  
 subtropica 653  
 Sepedonium 413-415, 419, 425, 431  
 ampullosporum 415  
 brunneum 415, 417  
 chlorinum 415, 423, 425  
 chrysospermum 415, 428, 430  
 sp. 415, 417, 419, 421, 425-426  
 tulasneum 415, 430  
 Septobasidiales 98  
 Septobasidium 497  
 Septofusidium 353, 355  
 variabilis 353  
 Septonema  
 chaetospora 68  
 Serenomyces 47, 49-50  
 californica 47-50, 48-49f, 50  
 palmae 47, 50  
 phoenicis 47-48, 48f, 50  
 shearii 47-48, 48f, 50  
 Serpula  
 lacrimans 717, 761, 763  
 Sesquicillium 353-354  
 Setosynnema 790  
 Setulipes 79  
 Sistotrema  
 brinkmannii 69, 728  
 hamatum 46  
 Smittium 485  
 culicis 742-752, 748f, 750f, 752f  
 culisetae 742-752, 744f, 746f  
 mucronatum 749  
 spp. 742  
 Sordaria 226, 476  
 alcina 862  
 brevicollis 862  
 fimicola 499, 863-864  
 humana 863-864  
 islandica 864

- lappae 864
- macrospora 864-865
- rabenhorstii 475
- superba 864
- tenerifae 864
- tomento-alba 862, 865
- Sordariaceae 226, 862
- Sordariales 54
- Sorosporium
  - consanguineum 595
- Speiropsis 790
- Sphacelia 692, 696
  - spp. 700
- Sphacelotheca
  - sorghii 595
- Sphaeria
  - luteovirens 431
- Sphaerodopsis 50
- Sphaeromonas 812-813
- Sphaerospora
  - brunnea 336
- Spizellomyces 812
- Sporomycetaceae 862
- Sporothrix 54
- Squamuloderma
  - nullifila 264
- Stachylina
  - grandispora 749
  - reflexa 485-486
- Stagonospora 66
  - heteroderae 68, 70, 72, 798
- Staphylotrichum
  - coccosporum 69
- Stemonitales 613
- Stemonitis
  - herbatica 616-617
  - nigrescens 612
  - sp. 613-613
  - virginensis 305-306
- Stemphylium
  - albamensis 626
- Stephensia 591
  - bombycina 591
  - shanori 591
- Stereum
  - hirsutum 4, 552
- Stilbella
  - bulbicola 68
- Strobilomyces
  - confusus 345
  - floccopus 345, 589, 590f
- Strophariaceae 796
- Stylopaga 739
- Suillus
  - americanus 589
  - brevipes 520, 589
  - glandulosus 589
  - granulatus 520, 589
  - grevillei 589
  - lakei 521
  - luteus 589
  - nealbidipes 589
  - ochraceoroseus 589
  - pictus 417
  - sinuspaulianus 589
  - spectabilis 589
  - spraguei 589
  - subluteus 589
  - tomentosus 589
  - umbonatus 589
  - viscidus 589
- Taeniospora
  - nasifera 623
- Talaromyces 843
- Taphrina 110
  - cerasi 893
  - deformans 893
  - faulliana 893
  - polystichi 889, 893
- Tetrachaetum
  - elegans 559
- Thamnomycetes 52
  - annulipes 52, 54-55
- Thaxteriella 735, 740
- Thelephora
  - terrestris 444-452, 445-448f, 450-451f, 589
- Thielavia
  - ovispora 69
- Thysanophora 12
- Tiarella 834
- Tilletia 470f, 471
  - barclayana 468
  - caries 650, 651f, 652
  - foetida 35, 650
  - horrida 468-469
  - indica 651f, 652
  - pennisetina 469, 471
- Tilletiaceae 652
- Tilletiales 889
- Tolypocladium
  - cylindrosporum 472-474, 473f
- Trabrooksia
  - applanata 612
- Trametes
  - feei 85
  - lilacino-gilva 85
  - subrosea 85
  - versicolor 32, 235
- Trematosphaeria
  - fallax 69
- Tremella
  - mesenterica 583
- Triadelphia 626-630
  - alabamensis 629f, 630
  - diversa 627-629f, 630
  - heterospora 626, 629f, 630-631
  - inquinans 626, 629f, 630-631
  - loudetiae 626, 629f, 631
  - pulvinata 626, 629f, 631
  - romantica 626, 629f, 631
  - uniseptatum 626, 629f, 631
- Triadelphus 629
  - diversa 629
- Triangularia
  - karachiensis 865
  - spp. 866
  - tanzaniensis 865, 867f
- Trichia



- botrytis 619  
 contorta 612  
 decipiens 612, 616-617  
 favoginea 458  
 sp. 612-613  
 subfusca 616  
 Trichiales 613  
 Trichocladium  
   opacum 68  
 Trichoderma 7, 12, 312-317, 391-402  
   anamorph of *Hypocrea atrogelatinosa* 354  
   aureoviride 136, 376-380  
   citrinoviride 136, 376-380  
   hamatum 136-137, 376, 392, 394, 396-402  
   harzianum 136, 376-380, 392, 394, 396-402  
   koningii 68, 392, 395-396, 398-402, 798  
   longibrachiatum 393  
   polysporum 136-137, 376-380, 396  
   polysporum(?) 12  
   pseudokoningii 392-393, 395-396, 398-402  
   sp. 377-380, 393, 397  
   spp. 134-137, 375-380  
   virens 313-314f, 316  
   viride 134, 136-137, 312, 313-314f, 316, 375-380,  
     392, 395-396, 398-402  
 Tricholoma  
   albobrunneum 589  
   aurantium 589  
   bakamatsutake 591  
   cingulatum 589  
   focale 589  
   fulvum 589  
   imbricatum 589  
   myomyces 589  
   pessundatum 589  
   populinum 589  
   resplendens 589  
   sp. 520  
   vaccinum 589  
   virgatum 589  
 Tricholomataceae 794, 905  
 Trichomycetes 643, 742  
 Trichophyton  
   rubrum 12  
 Trichozygospora 485  
 Tripterospora 866  
   erostrata 866-866  
   longicaudata 866  
   ultima 866  
 Triticium  
   oryzae 69  
 Trochophora  
   fasciculatum 372-373  
 Trogia 81  
 Truncocolumella  
   citrina 589  
 Tuber  
   melanosporum 590  
 Tuberales 914-915, 919  
 Tubeufia  
   cerea 357, 369  
   helicoma 357, 370-371  
   helicomycetes 368  
   paludosa 357, 368-368  
   rugosa 370  
   scopula 357  
 Tulasnella  
   araneosa 32  
 Tylopilus  
   alboater 345  
   griseocarneus 342, 342-345, 343-344f  
   niger 345  
   niggerimus 345  
   nigropurpureus 345  
   porphyrosporus 345  
   sect. *Oxydabiles* 345  
   sordidus 345  
   umbrosus 345  
 Typhula 912  
   idahoensis 568  
   ishikariensis 568  
 Uredinales 98, 110, 650  
 Uredinopsis 110-111  
 Uromyces 110  
   phaseoli 39  
 Ustilaginaceae 652  
 Ustilaginales 652, 889  
 Ustilago  
   cynodontis 595-607, 599-602f  
   longissima 595  
   maydis 22, 30, 595, 602, 650  
   pustrelata 652  
   scabiosae 652  
   striaeformis 595, 606  
   violacea 595  
   vuijkii 652  
 Verticicliella  
   sp. 903  
 Verticillium 66, 72, 354  
   chlamydosporium 66-66, 161-163, 797  
   chlamydosporium sensu stricto 161  
   dahliae 405-406, 408-409, 411  
   sp. 161  
   suchlasporium 161-163  
 Volutella  
   ciliata 68  
 Wiesneriomyces 790  
 Xenogloea 111  
 Xenosporium  
   berkeleyi 371-372  
 Xenostomella 203  
 Xerocomus  
   badius 589  
   subtomentosus 589, 591  
 Xylaria 53  
   annulipes 55  
   marasmioides 55  
   vermicularis 55  
 Xylariaceae 52, 54  
 Xylobotryum 52  
 Zelleromyces  
   gilkeyae 589  
 Zoophthora 739  
 Zopfiella 865  
   spp. 866  
 Zygomycetes 284, 939  
 Zygomycotina 154, 643

Zygopleurage  
zygospora 868  
Zygopolaris 485  
borealis 485

## HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

- Abies**  
  *Armillaria mellea* 766  
  *Crustoderma longicystidia* 923  
  *Echinodontium tinctorium* 766  
  *Fomitopsis cajanderi* 88  
  *Heterobasidion annosum* 766  
  *Phellinus pini* var. *cancriformans* 766
- Acacia**  
  *Helicosporium gracile* 362
- Acer**  
  *Armillaria calvescens* 222  
    *gemina* 220  
    *mellea* 223  
  *Drepanospora viride* 371  
  *Exidiopsis plumbescens* 574  
    var. *fabalispora* 574
- Agropyron**  
  *Phyllachora graminis* 703, 706
- Agrostis**  
  *Acremonium* sp. 807  
  *Epichloe* sp. 806, 807  
  *Phyllachora* spp. 703
- Albizia**  
  *Penicillium expansum* 854
- Allium**  
  *Penicillium allii* 300-302  
    *hirsutum* var. *allii* 856
- Alnus**  
  *Exidiopsis plumbescens* 574  
    var. *fabalispora* 574  
  *Helicosporium murinum* 367
- Amaranthus**  
  *Penicillium mononematousum* 858
- Ambrosia**  
  *Phyllachora ambrosiae* 706
- Andropogon**  
  *Myriogenospora atramentosa* 806  
    sp. 807  
  *Phyllachora luteo-maculata* 703
- Apium**  
  *Fusarium* f. sp. *apii* 278-282  
    *oxysporum* 278-282
- Arctostaphylos**  
  *Exidiopsis plumbescens* 574
- Asparagus**  
  *Penicillium hirsutum* var. *venetum* 856
- Avena**  
  *Bipolaris victoriae* 533
- Bembidion**  
  *Basidiobolus ranarum* 736
- Betula**  
  *Armillaria gemina* 220  
  *Exidiopsis plumbescens* 574  
    var. *fabalispora* 574  
  *Postia placenta* 206
- Boletinus**  
  *Hypomyces completus* 416
- Boletus**  
  *Hypomyces chlorinigenus* 423  
    *chrysospermus* 429  
    *melanochlorus* 425-426  
    *microspermus* 426
- Bouteloua**  
  *Phyllachora boutelouae* 703
- Brachyelytrum**  
  *Acremonium* sp. 807  
  *Epichloe* sp. 806, 807
- Calamagrostis**  
  *Phyllachora graminis* 703
- Callinectes**  
  *Lagenidium callinectes* 709-710
- Cancer**  
  *Haliphthoros milfordensis* 710  
  *Lagenidium callinectes* 710
- Carpelimus**  
  *Amphoromorpha blattina* 736
- Casuarina**  
  *Helicosporium panacheum* 368
- Climacium**  
  *Eocronartium muscicola* 99
- Cocos**  
  *Crepidotus schusteri* 796  
  *Helicosporium griseum* 365  
    *guianenses* 365  
  *Pluteus hendersoniensis* 795
- Corylus**  
  *Mycena galopus* 4
- Cynodon**  
  *Ustilago cynodontis* 595
- Danthonia**  
  *Atkinsonella hypoxylon* 692, 806
- Diochus**  
  *Amphoromorpha entomophila* 736
- Edaphus**  
  *Basidiobolus ranarum* 736
- Elymus**  
  *Acremonium* sp. 807  
  *Epichloe* sp. 806, 807  
  *Phyllachora graminis* 703  
    spp. 703
- Erichsonius**  
  *Amphoromorpha entomophila* 736

- Eucalyptus*  
*Drepanospora viride* 371  
*Penicillium roqueforti* var. *roqueforti* 857  
*Fagus*  
*Armillaria calvescens* 222  
     *gemina* 220  
*Bjerkandera adusta* 211  
*Coriolus versicolor* 211  
*Festuca*  
*Acremonium coenophialum* 805  
     sp. 807  
*Ficus*  
*Helicosporium griseum* 365  
*Glyceria*  
*Epichloe* sp. 806, 807  
*Glycine*  
*Diaporthe phaseolorum* f. sp. *caulivora* 549  
*Haplocladium*  
*Eocronartium muscicola* 98  
*Heterodera*  
*Acremonium kiliense* 68  
     *sclerotigenum* 68  
*Alternaria alternata* 68  
*Aphanocladium album* 68  
*Arthrotrichum oligospora* 68  
*Arthrocladium caudatum* 68  
*Aureobasidium pullulans* 68  
*Botryotrichum piluliferum* 68  
*Camposporium pellucidum* 68  
*Catenaria auxiliaris* 66  
*Chaetomium cochliodes* 68  
     *histoplasmae* 68  
     *perlucidum* 68  
*Chalara heteroderae* 68  
*Cladosporium cladosporioides* 68  
*Corynespora cassiicola* 68  
*Cristospora koningii* 68  
*Cylindrocarpum destructans* 68  
     *fusiforme* 68  
     *magnusianum* 68  
*Dactylaria acerosa* 68  
*Dendryphion nanum* 68  
*Dictyochara heteroderae* 68  
*Diheterospora chlamydosporia* 66, 68  
*Drechslera avenae* 68  
*Engyodontium album* 68  
*Epicoccum purpurascens* 68  
*Exophiala pisciphila* 68  
*Fusarium aqueductum* 68  
     *equiseti* 68  
     *oxysporum* 68  
     *solani* 68  
*Geniculosporium* sp. 68  
*Gliocladium catenulatum* 68  
     *roseum* 68  
*Gonytrichum macrocladium* 68  
*Humicola fuscoatra* 68  
*Lecythophora hoffmannii* 68  
*Mariannaea elegans* 68  
*Melanospora zamiae* 69  
*Metarhizium anisopliae* 69  
*Microsphaeropsis olivacea* 69  
*Mortierella elongata* 68  
*Mycocentrospora acerina* 68  
*Nematophthora gynophila* 66  
*Nigrospora sphaerica* 69  
*Paecilomyces lilacinus* 68  
     *marquandii* 68  
*Papulaspora* sp. 68  
*Paraphoma radicina* 68  
*Passerinula* sp. 68  
*Penicillium oxalicum* 68  
*Periconia macrospinosa* 68  
*Phaeoisaria clematidis* 69  
*Phaeoramularia* sp. 69  
*Phialophora gregata* 68  
*Phoma pinodella* 69  
*Plectosphaerella cucumerina* 68  
*Pyrenochaeta terrestris* 68  
*Ramichloridium schulzeri* 68  
*Septonema chaetospora* 68  
*Sistotrema brinkmannii* 69  
*Stagonospora heteroderae* 68  
*Staphylotrichum coccosporum* 69  
*Stilbella bulbicola* 68  
*Thielavia ovispora* 69  
*Trematosphaeria fallax* 69  
*Trichocladium opacum* 68  
*Trichoderma koningii* 68  
*Tritirachium oryzae* 69  
*Verticillium chlamydosporium* 66, 161  
     *suchlasporium* 161  
*Volutella ciliata* 68  
*Homarus*  
*Haliphthoros milfordensis* 710  
*Lagenidium callinectes* 709  
*Hordeum*  
*Penicillium aethiopicum* 848  
*Hystrix*  
*Acremonium* sp. 807  
*Epichloe* sp. 807  
*Phyllachora* spp. 703  
*Ischaemum*  
*Phyllachora ischaemi* 706  
*Juglans*  
*Drepanospora pannosa* 370  
*Laboulbenia*  
*Basidiobolus ranarum* 736  
*Larix*  
*Fomitopsis cajanderi* 88  
*Phellinus pini* 766  
*Leptophlebia*  
*Bojamyces repens* 483  
*Lespedeza*  
*Phyllachora lespedezae* 706  
*Limulus*  
*Haliphthoros milfordensis* 710  
*Lithocarpus*  
*Exidiopsis plumbescens* 574  
*Lolium*  
*Acremonium lolii* 805  
*Malacasoma*  
*Erynia crustosa* 154  
*Muhlenbergia*  
*Phyllachora* sp. 703  
     *vulgata* 703  
*Ophioglossum*  
*Curvularia crepinii* 815

- Opuntia  
   Echinostelium arboreum 303  
 Oryza  
   Neovossia horrida 468  
   Tilletia horrida 468  
 Pachytelea  
   Amphoromorpha entomophila 736  
 Paiclonia  
   Helicosporium griseum 364  
 Pandalus  
   Lagenidium callinectes 710  
 Panicum  
   Elsinoe panici 707  
 Paspalum  
   Phyllachora parilis 706  
   wilsonii 703  
 Penaeus  
   Haliphthoros milfordensis 710  
   Lagenidium callinectes 710  
 Pennisetum  
   Tilletia pennisetina 469  
 Persea  
   Meliola floridensis 192  
 Phoenix  
   Serenomyces phoenicis 47  
 Picea  
   Fomitopsis cajanderi 88  
   rosea 94  
 Pinus  
   Fomitopsis cajanderi 88  
   Helicosporium aureum 360  
   virescens 369  
   Leptographium wagneri var. ponderosum 124  
   wagneri var. wagneri 124  
   Phellinus pini 766  
   Postia placenta 206  
 Platynus  
   Amphoromorpha entomophila 736  
 Poa  
   Acremonium sp. 807  
 Populus  
   Cryptosphaeria populina 797  
   Drepanospora viride 371  
   Exidiopsis plumbescens 574  
   var. fabalispora 574  
   Fomitopsis rosea 94  
   Hericium abietis 766  
   Hyphoderma mutatum 568  
 Prunus  
   Helicosporium virescens 370  
 Pseudotsuga  
   Fomitopsis cajanderi 88  
   Leptographium wagneri var. pseudotsugae 124  
   Postia placenta 206  
   Trichoderma spp. 135  
 Pylaisiella  
   Eocronartium muscicola 98  
 Quercus  
   Exidiopsis plumbescens 574  
   Helicosporium virescens 369  
   Stereum hirsutum 4  
 Robinia  
   Helicosporium pallidum 368  
 Serenoa  
   Serenomyces shearii 47  
 Sorghum  
   Bipolaris halepense 538  
   sorghicola 532  
 Sphenopholis  
   Acremonium sp. 807  
   Epichloe sp. 807  
 Sporobolus  
   Phyllachora vulgata 703  
 Stipa  
   Atkinsonella hypoxylon 692  
 Suillus  
   Hypomyces completus 414-415, 416  
   transformans 414-415, 419  
 Themeda  
   Phyllachora themedae 706  
 Thespesia  
   Leucocoprinus birnbaumii 795  
 Thuja  
   Postia sericeomollis 766  
 Tournefortia  
   Clitocybe tournefortiae 795  
 Tridactylus  
   Basidiobolus ranarum 736  
 Tridens  
   Balansia epichloe 806  
 Triticale  
   Penicillium aurantiogriseum var. melanoconidium 849  
 Tsuga  
   Crustoderma longicystidia 923  
   Echinodontium tinctorium 766  
   Leptographium wagneri var. ponderosum 124  
   wagneri var. pseudotsugae 124  
   Postia placenta 206  
 Tylopilus  
   Hypomyces melanocarpus 414, 417  
 Ulmus  
   Helicosporium griseum 365  
 Umbellularia  
   Exidiopsis plumbescens 574  
 Vaccinium  
   Dwayalomella setulosa 640  
   vaccinii 640  
 Veronica  
   Schroeteria banatica 884  
   bornmuelleri 884  
   bremeri 884  
   decaisneana 884  
   delastrina 884  
   poeltii 884  
 Washingtonia  
   Serenomyces californica 50  
 Zea  
   Helicosporium panacheum 368